EOSC 110 INTRODUCTION TO GEOSCIENCES UNIVERSITY OF SAN DIEGO LABORATORY READER SPRING 2020

Ray Rector Liz Baker Treloar

PLEASE READ

Bring this Reader to every lab session. The purpose of the reader is to supplement the laboratory manual. ALL of the lab exercises you will turn in at the end of each lab session are from this packet. It is essential to have the custom lab manual in addition to this Reader! The lab manual contains mineral and rock identification charts, figures, and information to refer to as you are working through the lab exercises, and preparing for the lab exams.

TABLE OF CONTENTS

LAB EXERCISES (prelab pages included)	<u>Pages</u>
Geologic Time	3-7
Minerals and Crustal Density	8-13
Rocks (Igneous, Sedimentary, Metamorphic)	14-18
Conversion Exercise and Chart	19-20
Plate Tectonics and Isostasy	21-26
Plate Tectonic take-home assignment	27
Relative Dating and Intro. to Faults	28-30
Tourmaline Beach Field Trip	31-38
Topographic Maps	40-44
Gradient and VE take-home assignment	45-46
Geologic Structures	47-56
Geologic Maps	57-60
Fossils	61-70

GEOLOGIC TIME

THERE are two geologic time problems in this Reader, <u>P. 4</u> (Friday lab) and <u>P. 5 & 6</u> (Thursday lab)

You only have to do one, your instructor will assign.

PROBLEM 1: GEOLOGIC TIME SCALE: THE HISTORY OF THE EARTH Geologic time scale is on page 63 in lab manual, and p. 7 of this Reader

Procedure: Read the directions carefully to complete the activity.

- I. Measure and cut off 5 m of adding machine paper tape.
- 2. Draw a continuous mid-line down the tape length. See demo for simple method.
- 3. Daw a zero line across the left end of the tape; label it, "The Present".
- 4. Near the "The Present" line, make a scale of I cm: 10 million years.
- 5. From the "Today" line, measure 1 meter to the right along the mid-line and make a vertical mark.
- 6. Label this mark 1 billion years.
- 7. Measure and mark each meter after that up to 4 meters or 4 billion years from the present.
- 8. Now, measure 60 cm to make the total length of the time line 4.6 meters. Mark and label this distance 4.6 billion years (The Beginning of Time).
- 9. Label the year and name of each era on your geologic time scale. Shade eras to highlight them. Using the scale I cm = I0 million years, measure the distance to each era from Today by using the following information.

ERAS:

a. Cenozoic Era = 66 million years ago =	cm from Today
b. Mesozoic Era : 251 million years ago =	cm from Today
c. Paleozoic Era = 542 million years ago =	cm from Today
d. Precambrian Fra = 4.6 billion years ago =	cm from Today

10. Label the major events of each era on your geologic time scale by using the basic geologic time scale as a guide, p. 6 of Lab Manual. Locate and label each of the major events listed below onto your geologic time scale.

Geologic Time Line Major Events

Directions: Label the following Earth events on your geologic time line at proper locations.

Earth forms - 4600 MYA

Moon forms - 4500MYA Ocean forms - 4300 MYA

Moon Bombarded (Man in the moon forms - 4000 MYA

Oldest known fossiÌ - 3600 MYA Atmosphere oxygenated - 2300 MYA Invertebrate explosion - 550 MYA

First fish - 440 MYA
First Land plants - 440 MYA
First trees - 410 MYA
First Land animals - 380 MYA
Coal-forming swamps - 360 MYA
Coal-forming forests - 320 MYA
First Reptiles - 320 MYA

Supercontient Pangaea forms - 260 MYA Greatest Extinction on Earth - 250 MYA First mammals - 250 MYA

Dinosaurs begin their domination - 250 MYA Pangaea begins breaking up - 200 MYA

Formation of Peninsular Ranges Batholith - 180-90 MYA

First flowering plants - 146 MYA Dinosaurs go extinct - 66 MYA

First humans - 3 MYA

Glaciation peaks in North America - 20,000 YA
Retreat of glaciation in N.A. - 10,000 YA
First Human Civilizations - 8,000 YA
Great Pyramids built - 5200 YA
Fall of Roman Empire - 1533 Y A
Formation of teh USA - 235 YA
Humans land on Moon - 43 YA

LABORATORY REFLECTION Directions: Write a short reflection about your experience in doing the activities in lab today. Include the following: 1) The purpose of the lab; 2) What you learned from this laboratory; 3) What was interesting; 4) The problems and challenges you encountered.

GEOLOGIC TIME SCALE: THE HISTORY OF THE EARTH

PROBLEM 2: See page 63 in lab manual

OBJECTIVES:

- To create a timeline of Earth's history
- To gain familiarity with the metric system
- To get a sense of the scale of human events compared to geologic events

INTRODUCTION:

The Earth has changed dramatically and repeatedly over a history that spans nearly 5 billion years. Such immense spans of time are difficult for most of us to comprehend. They fall outside our range of human experience. We normally deal with much shorter time intervals, like the time of our next class or the number of days until the next exam, or even the number of years until graduation!

It is important for students of the Earth Sciences to expand their sense of time. Extremely slow geologic processes, considered only in terms of human experience, have little meaning. To appreciate the magnitude of geologic time and the history of our incredible planet, you will be creating a timeline of important geologic events scaled to a size more tangible and familiar.

INSTRUCTIONS:

- 1. Construct a timeline of Earth's history on a long strip of adding machine tape. The timeline should be done to scale.
 - 1 meter (100 cm) = 1 billion years (1000 million years)
 - 10 cm = 100 million years
 - 1 cm = 10 million years
 - 1mm = 1 million years
 - There are ten 100 million years in one billion years, or 100 cm in 1 meter.
 - There are ten 10 million years in 100 million years.
 - a) Measure out a strip of adding machine tape 5 meters long. A meter stick will be provided in lab.
 - b) Select one end of the tape to represent the present. Beginning at that end, mark off and write each billion years (1 billion, 2 billion, etc.) at 1 meter increments.
 - c) Draw a bold line and label (in color) to show the <u>beginning</u> of the three eras (Paleozoic, Mesozoic, Cenozoic)
 - To help you get started: 542 Million yrs ago from today would be (50 cm + 4 cm + 2 mm) from the "today" end of the paper roll, or (40 cm + 5 cm + 8 mm) from the 5 billion mark.
 - **d)** Refer to the **Geologic time scale** in this reader and **p. 63 in the lab manual**. Dates might vary slightly.
 - e) Mark off and write numbers at 10 cm increments ONLY WHEN NECCESARY (plotting boundaries or events)
 - f) Starting with the oldest event (Event #1), mark off all of the important events in Earth's history shown in the list on the next page. In each case you should write the date and event directly on the timeline.
 - g) Come up with your own Earth shattering event (do some research), plot the event on your time scale, and present to the class.
- 2. **Write a brief paragraph** on your perspective of the history of the Earth, or geologic time, that you did not realize before doing this timescale exercise.

THIS TABLE GOES WITH TIME SCALE PROBLEM 2 ON P. 5

	For Problem 2: Some Important Events in Earth's History			
Event #	Date in years before present	Event		
1	4.56 billion	Earth forms		
2	4.1 billion	Oldest rock		
3	3.9 billion	Oldest evidence of a continent		
4	3.8 billion	First evidence of life		
5	3.5 billion	First fossils (algae and bacteria)		
6	1.8 billion	Free oxygen in atmosphere		
7	1.1 billion	First fossil of a complex organism (a worm)		
8	540 million	First abundant life found in the rock record		
9	460 million	First fish		
10	440 million	First land plants		
11	410 million	First land animals		
12	250 million	Largest mass extinction occurs		
13	247 million	First dinosaurs		
14	240 million	First mammals		
15	220 million	Breakup of super-continent Pangaea begins		
16	145 million	First flowering plants		
17	65 million	Dinosaurs and other animals go extinct		
18	1.8 million	First primate in genus Homo		
19	40,000	First Homo <i>sapiens</i>		
20	13,000	Humans first inhabit North America		
21	10,000	End of last Ice Age		
22	500	European rediscovery of the Americas		
23	?	Your birthday		

(Please note that some of these ages may differ slightly from those given in your text or that you found in another source. These dates change, but the general order and rough position stay constant.)

REFLECTION:

R. Steinberg DMC 1-12

PRECAMBRIAN

Geologic Time Scale

				I Davis dam.		
Eon	Era	Period	Epoch	Boundary Dates (Ma)		
	Cenozoic	Quaternary	Holocene Pleistocene Pliocene Miocene	- 0.012 - 2.6 - 5.3 - 23.0		
	Cen	₹ ^{gaeogen®} Tertiary	Oligocene Eocene Paleocene	25.0 33.9 55.8		
	zoic	Cretaceous		— 146		
	Mesozoic	Jurassic Triassic		200		
Phanerozoic	Paleozoic			251		
		Permian		299		
		Pennsylvanian		318		
				— 359		
		Devonian Silurian		416		
	ъ.	Ordovician		444		
	 -	Cambrian		- 488		
	Neo-	Ediacaran		542		
Proterozoic	Meso- Paleo-			- ~ 635		
Arobson				— 2500		
Archean				- 4000		
Hadean		No Rock Record on Earth ORIGIN OF EARTH ~4600				

Note #1: Vertical timeline of boundary dates is not drawn with a uniform scale.

Note #2: Boundary dates from the International Commission on Stratigraphy 2010 Geologic Time Scale Note #3: Carboniferous, Paleogene, and Neogene are more commonly used outside of the U.S. Note #4: Epochs for the Mesozoic and Paleozoic are too numerous to be shown.

Note #5: The Hadean Eon is not formally recognized.

MINERALS AND DENSITY EXERCISE

Please Review Mineral pgs. 78-89 in the Lab Manual

Pre-lab due at the beginning of lab.

Pre-lab_Minerals

Look at Mineral Exercise on pages 69-94, in lab manual. Answer the following on scantron form.

1. Which of the following does not fit the description of a mineral?

a) inorganicb) specific chemical formulac) lacking crystalline structured) naturally occurringe) both c and d	
2. Which mineral group is considered to be the major rock forming mineral group, and mineral group?a) silicates b) carbonates c) sulfates d) oxides e) halides	the most common
3. This mineral has excellent cleavage in one direction, a hardness of 2 to 2.5, is colorles brown), and has OH in the silicate structure. (look at the mineral charts on p. 92-94) a) halite b) gypsum c) muscovite mica d) serpentine e) quart	
4. All of the following are useful physical properties except a) streak b) size e) cleavage c) hardness	
5. Corundum is the mineral name for (need to google a) sapphire b) diamond d) ruby c) emerald e) both a and d	this)
 6. Which 2 minerals are not classified as silicates? a) pyroxene and olivine b) halite and gypsum c) plagioclase and biotite 	
 7. Which of the following is <u>not</u> characteristic of olivine? (look at the mineral charts on particle) green color b) hardness of 6.5 to 7 c) prominent cleavage d) nonmetallic 	o. 92-94)
 8. The 2 directions of cleavage for hornblende meet at angles. (look at the min a) 90 degree b) 30 and 60 degree c) 45 degree d) 120 and 60 degree 	าeral charts on p. 92-94)
9. The hardness for calcite is (look at the mineral charts on p. 92-94) a) 3 b) 2 c) 5 d) 6 e) 7	

NAME			

You will do an experiment to test how mass and volume affect the density of two different rock samples.

Hypothesize what your group thinks will occur given a light (felsic) and a dark (mafic) rock sample:

- Density = mass/volume
- o A hypothesis is a tentative, testable answer to a scientific question.

Hypothesis:

Run the following experiment to test your hypothesis. Read through these instructions before you start your experiment.

Determining the density of a rock sample. To determine the density you will use the displacement method to measure the volume of granite and gabbro samples. Measure water displaced using the plastic graduated cylinders. Each tick mark on the cylinders represents **5 cm³** (same as 5 mL) of volume. *Make sure this is correct, you might have a different size cylinder*. It is important to read the water level to the nearest **1 cm³** (nearest 1 mL), which means estimating as best you can between each tick mark. *Do this as accurately as you can; this is the largest source of error in this part of the lab.* **See pg. 10-12 in lab manual for help.**

EXPERIMENT

Directions: Follow steps below to complete the data tables for the three samples of granite and gabbro.

- o Fill the plastic cylinder to between the 300 and 350 mL level. Tap the cylinder to get out air bubbles.
- Weigh the first sample and record the mass in grams for "Sample 1."
- Read the water level to the nearest 1 cm³ (nearest 1 mL) and record it in the table under "start level" for "Sample 1".
- \circ Tilt the cylinder to \sim 45 degree angle and gently slide the sample in so that it slips into the water without splashing.
- Gently tap the cylinder to get out air bubbles.
- Read the water level to the nearest 1 cm³ and record it in the table under "end level" for "Sample 1."
- See p. 10-11 in lab manual for help with using graduated cylinders.
- Calculate the volume of the sample (in cm³) by subtracting the start level from the end level.
- Calculate the density of the sample (g/cm³) by dividing the weight (in g) by the volume (in cm³).
- Without removing the water or rocks from the cylinder, repeat above steps for the rest of the granite samples. Note: the "start level" for each successive sample will be the same as the "end level" of the previous sample.
- Calculate the average density of the three samples of granite. By taking the average of three separate
 density measurements, we will hopefully cancel out some measurement errors and obtain a more
 accurate value for the density.
- Repeat this procedure using the 3 gabbro samples. Start with a new cylinder of water. While some students are completing the table for the granite, the others in the group can start measuring the gabbro samples

GRANITE

Sample number	Mass (g)	Start level (cm³)	End level (cm³)	Volume (cm³)	Density (g/cm³)
Sample 1					
Sample 2					
Sample 3					

Average density of granite samples = mass/volume = g/cm ³ SHOW WORK:						
		GABBRO				
Sample number	Mass (g)	Start level (cm³)	End level (cm³)	Volume (cm³)	Density (g/cm³)	
Sample 1						
Sample 2						

Average density of **gabbro** samples = mass/volume = _____ g/cm³ SHOW WORK:

ANALYSIS:

Sample 3

- Which rock type has the greatest density? ______
- 2. Do the results support or refute your hypothesis? Why?
- 3. Briefly describe the relationship between the <u>size of the sample</u> and the <u>displacement of the water</u>:
- 4. Briefly describe the relationship between the size of the sample and the weight.

5. Apply the results of your experiment to a "real world" situation (think geology)?
C. List 2 variables that will affect the density of real/less or reason?
6. List 2 variables that will affect the density of rock (less or more)?
7. Pick one variable from #6 above and formulate a hypothesis about how it will influence the density of the
rock. Hypothesis:
Typothesis.

MINERALS READ THIS



MINERAL IDENTIFICATION CHARTS ARE ON P. 90-91 IN THE LAB MANUAL.

Bold font: Mohs scale minerals.

Use the worksheets on p. 92-94 IN THE LAB MANUAL to organize the mineral information. You can modify the table headings to personalize the identification sheets.

Once you finish with identification your instructor will give you the correct sample numbers, place the numbers below. You can also add these numbers to your worksheets. Same numbers are on the reserve samples in the library which you can check out at the reserve desk for 2 hrs.

SILIC	ATE MINERALS:	There might be more than one sample for certain minerals.	Write all numbers down
• _	Quartz		
• _		Plagioclase (Ca,Na)-feldspar	
• _		K-feldspar (Orthoclase and Microcline)	
• _	Muscovite	e mica	
• _	Biotite mi	ica	
• _	Olivine		
• _	Augite (py	yroxene)	
• _	Garnet		
• _	Tourmalir	ne (not in lab manual, see info. on the board in classroom)	
• _	Hornblen	de (amphibole)	
NONS	SILICATE MINERA	ALS	
• _	Calcite		
• _	Halite		
• _	Gypsum		

13

ROCKS

Please Review the following in the Lab Manual pages 102-119

Pre-lab due at the beginning of lab.

PRE-LAB_IGNEOUS AND SEDIMENTARY ROCKS

Refer to pages 105-109 in the lab manual and study the igneous rock identification table on p. 108, take the time to be familiar with this chapter. Answer the following on scantron form.

- **1**. When there are 2 different sizes of crystals (minerals) caused by different cooling rates; the larger minerals are called phenocrysts. What is the texture?
 - a) aphanitic
 - b) phaneritic
 - c) coarse-grained
 - d) porphyritic

Match the numbered word to the letter definition (#2-6)

- 2. Mafic a) term used for light colored igneous rocks, or minerals, high in silica, potassium and sodium
- 3. Granite b) a mineral high in Fe (Iron) and Mg (magnesium) that is found in peridotite
- 4. Felsic c) dark, glassy-textured rock or volcanic glass
- 5. Obsidian d) term used for dark colored igneous rocks, or minerals, high in Fe (Iron) and Mg (magnesium)
- 6. Olivine e) large minerals, felsic, intrusive igneous rock

Match the intrusive igneous rocks to their extrusive equivalents (#7-10):

- 7. Granite a) Basalt
- 8. Diorite b) Rhyolite
- 9. Gabbro c) extrusive equivalent rare
- 10. Peridotite d) Andesite
- **11.** The igneous rocks you matched in #7 to 10 have the same chemical composition, but the textures (size of minerals) are different. The intrusive rocks are composed of large, or visible, minerals and the extrusive are made of much smaller minerals. In lab, you will learn some of the terms used to describe igneous textures. For now, what controls the size of the minerals found in igneous rocks?
 - a) cooling rate (fast or slow cool)
 - b) where the molten rock solidifies and crystallizes (below the surface in the crust, or on the surface)
 - c) chemical composition of surrounding rock (country rock)
 - d) the amount of silica in the molten rock
 - e) both a and b

Refer to pages 110-115 in the lab manual.

12.	does not play	a role in the formation of sedimentary rocks (see rock cycle on p. 103)?
b) t	reathering ransportation ompaction	d) melting e) deposition
Match the 13. limesto		o the letter definition (13-17) I (clastic) sedimentary rock is made of angular-shaped gravel-sized sediment
13 . IIIIlesto	ne aj tilis deti ital	(clastic) sedimentary rock is made or angular-shaped graver-sized sediment
14. shale	b) classified a	as an evaporite
15. sandsto	ne c) a detrital s	edimentary rock composed of mud (clay)-sized particles
16. breccia		alcium carbonate ($CaCO_3$), classified as a biochemical rock when has a marine organic origin.
17. gypsum	e) the sedime	ent found in this detrital rock ranges from 1/16 to 2 mm in diameter
a) c b) s	ne following are class onglomerate andstone Itstone	d) coal e) shale
a) 1 b) 1 c) 1 d) 1	classified as a1 chemical 2. f . biochemical 2. f . detrital 2. f . detrital 2. f . biochemical 2. f	microscopic shells rock fragments feldspar
20 . The follo	a) shale, and siltsto	oreccia, and quartz sandstone d chert

IGNEOUS ROCKS READ THIS



IGNEOUS ROCK IDENTIFICATION CHART IS ON P. 108. Use worksheet on p. 110 in lab manual

Once you finish with identification your instructor will give you the correct sample numbers, place the numbers below. You can also add these numbers to your worksheets. Same numbers are on the reserve samples in the library, you can check them out at the reserve desk.

THERE MIGHT BE MORE THAN ONE SAMPLE, WRITE ALL NUMBERS DOWN.

INTRUSIVE IGNEOUS ROCKS

• _	Peridotite	EXTRUSIVE IGNEOUS ROCKS
• _	Gabbro \longleftrightarrow	Basalt
• _	Diorite	Andesite (2 samples: same #)
• _	Granodiorite	• Rhyolite (2 samples: same #)
•	Granite (2 samples: different #s) 🗸	Obsidian (felsic)
•	Granite Pegmatite	• Pumice (felsic)

[&]quot;Tonalite" is similar to Granodiorite, you will hear this term used on the weekend field trip.

SEDIMENTARY AND METAMORPHIC ROCK ID LIST READ THIS



SEE the Sedimentary Rock classification chart on p. 112 & 113. USE THE WORKSHEET ON P. 114 TO FILL IN SEDIMENTARY ROCK INFORMATION.

SEE the Metamorphic Rock classification chart on p. 119. USE WORKSHEETS ON P. 120 TO FILL IN METAMORPHIC ROCK INFORMATION.

SEDIMENTARY ROCKS	CHEMICAL
DETRITAL	• Chert
• Breccia	
• Conglomerate	• Rock Gypsum
•Quartz Sandstone	BIOCHEMICAL
MUDSTONES (silt and/or clay)	
• Siltstone	Fossiliferous limestone
• Shale (2 samples: different #s)	• Chalk
• Claystone	
	Crystalline limestone (Micrite)
METAMORPHIC ROCKS	
• Schist	
• Marble	
• Gneiss (maybe 2 samples w/ 2 different #s)	
• Slate	
Quartzite	

TAKE HOME CONVERSION EXERCISE

Directions: Do the following calculations. To receive credit, please show your work.

See http://serc.carleton.edu/mathyouneed/units/index.html for help (this link is on Bb). See conversion chart on next page and p. 37 in manual.

Unit Conversion Problem

Unit Conversion Calculation: SHOW WORK HERE

Example: 2.5 miles = 4.0 kilometers

2.5 mi x 1.6 km/mi = 4.0 km (miles cancel)

- **a.** 10.0 miles = _____ kilometers
- **b.** 1.0 foot = ____ meters
- **c.** 16 kilometers = ____ meters
- **d.** 25 meters = _____ centimeters (cm)
- e. 1.3 liters (L) = milliliters (ml) or cubic centimeters (cm³)
- **f.** 25.4 mL = cm^3
- g. 120 pounds = kilograms (kg)
- **h.** 2 ounces = ____ grams
- i. Velocity = distance/time. An object travels 280 miles in 4 hours, the velocity of the object: _____ km/hr show work:

Scientific Notation see p. 14 and 15 in manual for help

We convert very large or small numbers to scientific notation in order to shorten them and to make them easier to manipulate in expressions. For example:

- $19,000,000 = 1.9 \times 10^7$
- 0.0000000756 = 7.56 x 10⁻⁸
- 1) Write one billion (1,000,000,000) in scientific notation.
- 2) Write 276,000,000 in scientific notation. ______
- **3)** Write 0.0000000602 in scientific notation.
- **4)** <u>Convert</u> 100,000,000 cm to km, give answer in scientific notation _____ km (100cm = 1m; 1000m = 1km) show work:

To convert:	То:	Multiply by:	blow side to arrow specifib in stee
kilometers (km)	meters (m)	1000 m/km	LENGTHS AND DISTANCES
	centimeters (cm)	100,000 cm/km	
	miles (mi)	0.6214 mi/km	
	feet (ft)	3280.83 ft/km	
meters (m)	centimeters (cm)	100 cm/m	
	millimeters (mm)	1000 mm/m	
	feet (ft)	3.2808 ft/m	
	yards (yd)	1.0936 yd/m	
	inches (in.)	39.37 in./m	
	kilometers (km)	0.001 km/m	
or decimal system, the	miles (mi)	0.0006214 mi/m	
centimeters (cm)	meters (m)	0.01 m/cm	
	millimeters (mm)	10 mm/cm	
	feet (ft)	0.0328 ft/cm	
	inches (in.)	0.3937 in./cm	
	micrometers (µm)*	10,000 μm/cm	
millimeters (mm)	meters (m)	0.001 m/mm	
	centimeters (cm)	0.1 cm/mm	
	inches (in.)	0.03937 in./mm	
	micrometers (μm)*	1000 μm/mm	
	nanometers (nm)	1,000,000 nm/mm	
micrometers (µm)*	millimeters (mm)	0.001 mm/μm	
nanometers (nm)	millimeters (mm)	0.000001 mm/nm	
miles (mi)	kilometers (km)	1.609 km/mi	
	feet (ft)	5280 ft/mi	
	meters (m)	1609.34 m/mi	
feet (ft)	centimeters (cm)	30.48 cm/ft	
	meters (m)	0.3048 m/ft	
	inches (in.)	12 in./ft	
	miles (mi)	0.000189 mi/ft	
inches (in.)	centimeters (cm)	2.54 cm/in.	
	millimeters (mm)	25.4 mm/in.	
	micrometers (μm)*	25,400 μm/in.	
square miles (mi2)	acres (a)	640 acres/mi ²	AREAS
or 1000 millimeters	square km (km²)	2.589988 km ² /m	
square km (km2)	square miles (mi ²)	0.3861 mi ² /km ²	
acres	square miles (mi ²)	0.001563 mi ² /acr	
	square km (km²)	0.00405 km ² /acr	
gallons (gal)	liters (L)	3.78 L/gal	VOLUMES
fluid ounces (oz)	milliliters (mL)	30 mL/fluid oz	
milliliters (mL)	liters (L)	0.001 L/mL	
(1112)	cubic centimeters (cm ³)	$1.000 \text{ cm}^3/\text{mL}$	
liters (L)	milliliters (mL)	1000 mL/L	
inters (E)	cubic centimeters (cm ³)	1000 mE/E 1000 cm ³ /mL	
	gallons (gal)	0.2646 gal/L	
	quarts (qt)	1.0582 qt/L	
	pints (pt)	2.1164 pt/L	
73		i do algunos formales del A	Command and it IV " bein more than 10
grams (g)	kilograms (kg)	0.001 kg/g	WEIGHTS AND MASSES
	pounds avdp. (lb)	0.002205 lb/g	
ounces avdp (oz)	grams (g)	28.35 g/oz	
ounces troy (ozt)	grams (g)	31.10 g/ozt	
pounds avdp. (lb)	kilograms (kg)	0.4536 kg/lb	

To convert from degrees Fahrenheit (°F) to degrees Celsius (°C), subtract 32 degrees and then divide by 1.8 To convert from degrees Celsius (°C) to degrees Fahrenheit (°F), multiply by 1.8 and then add 32 degrees. *Formerly called microns (μ)

XII Preface

From Pearson: AGI & NAGT Lab Manual in Physical Geology 10th ed.

PLATE TECTONICS

Read the questions carefully in the lab manual and write your answers in the reader. Some activities will require you to write in the lab manual, see instructions on the following pages.

NAME

Introduction: Why does the Earth have continental areas and oceanic areas? Rephrasing the question a bit, why does the Earth's surface divide into two distinct regions of elevation: the **continents** (average elevation about 0.5 miles above sea level), and the **ocean basins** (average elevation about 2.3 miles below sea level)? The answer relates to the fact that Earth's surface is made up of two different types of crust: the **continental crust** and the **oceanic crust**. These two types of crust differ in both their **thickness** and **density**. In this lab, you will see how these two properties control the elevation of the continents versus the ocean basins.

Relationship between Volume, Mass, & Density

- **Density** is a measure of <u>mass per unit volume</u>.
- Water: a gallon (a unit of volume) weighs about 8.33 pounds (a unit of mass). Therefore, the density of water is 8.33 pounds per gallon.
- We can use any measurement of mass and/or volume to express density of water:
 - o 62.4 pounds per cubic foot (62.4 lbs/ft³)
 - Kilogram per liter (1.0 kg/L)
 - o 1 gram per cubic centimeter (1.0 gm/cm³) = 1.0 gram per milliliter (1.0 gm/mL).
- In this exercise, we will use the standard Metric System unit for density, grams per cubic centimeter (gm/cm³).
- To measure the density of something in gm/cm³, we need to measure both its mass in grams and its volume in cubic centimeters.
 - Measuring **mass** is easy; we just weigh the object on a scale.
 - We will measure volume by the first method. If the container that the wood blocks are floating in was graduated, then the 2nd method would be an alternative.
 - by linear dimensions
 - o by water displacement (see p. 10-11 in lab manual).

SEE PAGES 12-13 IN LAB MANUAL

	ion 1: Heft the pieces of oak and redwood in your two hands. amount)?	Which one feels denser (heavier for a
	nine the density of oak and redwood.	
1)	Weigh the blocks to the nearest gram.	
2)	Use a ruler to measure, in centimeters, the length, width and	height of the blocks.

OAK:	Weight:	Length:	Width:	Height:
Volume	e by ruler: cubic cm (cm)	(length x width x heig	ht):	include units
Density	(linear): (weight / volum	ne):	gm/cm³ (round to near	rest 0.01)
Show w	vork:			

REDWOOD:	Weight:	Length:	Width:	Height:
Volume by ru	ler: cubic cm (cr	n) (length x width x heig	;ht):	Height: include units
Density (linea	r): (weight / vol	ume):	gm/cm ³ (round to	nearest 0.01)
Show work:				
	dict what propo	• .		f water to the density of Oak and ut of the water when the pieces of
OAK:	% of the bloc	ck will be underwater, and	d% w	ill stick out of the water.
REDWOOD: _	% of t	he block will be underwa	ter, and	% will stick out of the water.
with what you Draw below a	see? simple side viev proportions stic	v sketch of the two block	s across the waterl	Do your predictions in #2 above fit ine, labeling each block and showin ation in mind when you do the final
OAK			REDWOO	<u>D</u>
				water line

Question 4: Think about what you saw with the blocks of oak and redwood floating. What effect did the difference in density between the two types of wood have on how high each one floated?

ISOSTATIC EQUILIBRIUM OF THE EARTH'S CRUST (see pages 12-13 in lab manual)

In this part of the lab, we will see how differences in the density and thickness of rock control the elevations of the Earth's crust. We'll also see how the crust adjusts when loads of weight are added or taken away.

The Earth is made up of two kinds of crust: continental crust and oceanic crust. **Continental crust**, which is mostly **granite** and rocks of similar density, makes up the continents. **Oceanic crust** is mostly the rock **basalt**, which makes up the floors of the ocean basins. Both types of crust lie on the Earth's **mantle**, which is mostly the rock **peridotite**. The illustration below shows that the continental crust and the oceanic crust have different thicknesses. Continental crust averages about 35 km thick (more underneath mountains), while oceanic crust averages about 5 km thick. The two types of crust, and the


underlying mantle, also differ in their density. Most Earth rocks range in density from about 2.6 to about 3.3 gm/cm ³ -- even small differences in density can have important effects.

The geologist Clarence Dutton proposed decades ago that the Earth's two types of crust "float" buoyantly on the mantle, much in the way that an iceberg or a block of wood floats buoyantly in water. He called this condition **isostasy** (Greek for "equal standing"). When the crust floats in a balanced, stable manner in the mantle beneath, we have a condition called **isostatic equilibrium**. This turns out to be a very useful concept, as you will see.

Density of the continental crust (granite): 2.7 gm/cm³

Density of the oceanic crust (basalt): 3.0 gm/cm³

Density of the upper mantle (peridotite): 3.3 gm/cm³



Question 5:	What is the connection between wood floating in water and the crust (either type) floating in	the
mantle? Use	e <u>specific values</u> of density for wood, water, crust, and mantle in your answer.	

Question 6: Imagine a thick block of wood and a thin block of wood, both with a density of 0.5 gm/cm³ floating in water next to each other. Would the tops be at the same level? Why or why not?

Draw below, an <u>accurate</u> side view sketch showing how these two blocks would look floating next to each other. Note: "accurate" here means that you need to consider the density of the wood relative to water.

<u>thick</u> block of wood	thin block of wood
	water line

Question 7: Geologists know that the continental crust is much thicker underneath mountain ranges than it is in low areas. Thinking about your answers above, explain why.

Question 8: Thinking about all of your answers above, explain why the continental crust stands above sea level while the oceanic crust lies more than two miles (on average) below sea level. Your explanation should take into account both thickness differences and density differences.

Question 9: SEE article on table. The "rows" of raised beaches located 100 to 250 km from the present-day coasts of Hudson Bay and James Bay are one of the most powerful visual reminders that the land has risen about 1 to 1.3 meters per hundred years, and continues to rise. https://www.ontariobeneathourfeet.com/rising-land-isostatic-rebound/

Connect your explanation for the rising Hudson Bay beaches to this exercise:

PART 2: MEASURING & EVALUATING PLATE MOTIONS:

Earth's lithospheric plates slowly move laterally over the asthenosphere – driven by a combination of heat, gravity, and differences in rock density. Geologists use several methods to establish plate velocities: 1) analysis of hot spot traces, 2) analyze the age-dated magnetic signature in the oceanic crust, and 3) offset rocks, stream drainages, or other features along transform faults.

SEE LAB MANUAL FOR THE FOLLOWING ACTIVITIES

PROBLEM 1: *** ACTIVITY 3 ON P. 145 AND FIGURE 13 ON P. 135 ***

100 cm = 1 meter 1000 meter = 1 kilometer 1 million yr = 1x10⁶ yr

<u>The Hawaiian Islands and Pacific Plate Motion</u>: Follow the instructions and answer **A1 through A4, NOT A5,** and **A6.** ANSWERS should be in **cm/yr.** Helpful website: http://serc.carleton.edu/mathyouneed/rates/index.html

A 1)


A 2) Rate	_SHOW WORK:
Direction (see figure at bottom of this page for help)	Also, draw an arrow to illustrate your answer:
A 3) Rate	SHOW WORK:
Direction of plate movement	Also, draw an arrow to illustrate your answer:
A 4) Rate	SHOW WORK:
A 4) Nate	5110W WORK.
Direction of plate movement	Also, draw an arrow to illustrate your answer:

A 6) Reflect and Discuss:

Answer the question in the manual and explain why you chose the direction of movement above in problem A3 and A4.

Cardinal Compass Points

http://geokov.com/education/compass-directions-azimuth.aspx



PROBLEM 2: *** ACTIVITY 5 ON PAGE 149 and 150 ***

- Read A on p. 149
- Do A1 through A6: write in lab manual, tear out and turn in with these reader pages.

PROBLEM 3: *** ACTIVITY 6 ON PAGE 151 and 152 ***

- Read A on p. 65
- Do A1 and A2 (p. 151), B, and C (p. 152): write in lab manual, tear out and turn in with the reader pages.
- Hint for C on p. 152:
 - o Time = Distance/velocity
 - Time = unknown (when coastlines were together)
 - **Distance** = measure distance between <u>edge</u> of cont. shelves
 - Velocity = take an avg. of the 4 velocities calculated in #1 and 2
- Show your work for all problems in the blank area on p. 152. Clearly indicate which problem correlates with your work .

Post Lab Exercise: Laboratory Reflection: Turn this in with the rest of the exercise.

Directions: Write a reflection (minimum 120 words in length) about your experience in doing the plate tectonic exercises lab today. Include the following: 1) What was the purpose of the lab? 2) What did you learned from this laboratory? 3) What did you find interesting? 4) What were the problems and challenges you encountered; and 5) Your opinion on how this lab was designed (the good or bad).

TAKE HOME ASSIGNMENT:

PICK-UP THE WORLD BATHYMETRIC CHART PROVIDED AT END OF LAB BEFORE LEAVING.

Directions: Illustrate the major plate tectonic boundaries (see **figure 1 on p. 125 in the lab manual and figures** in the lecture text).

- 1) Draw in the three different plate boundaries found worldwide according to boundary type.
- 2) Draw and label each of three boundary types with a different color. Make a legend.
- 3) Label (by name) each of the major tectonic plates 14 plates total
- 4) Draw motion arrows to show the relative motion of the Pacific and North American Plates:
 - O Near Hawaii to show the direction and speed of the Pacific Plate.
 - On the opposite sides of the San Andreas Fault to show the direction and speed of both the Pacific and North American Plates

RELATIVE DATING EXERCISE

Name:				


Directions: See pages 54-70 in lab manual. Complete the analysis and evaluation of the geologic cross sections 1 through 4 (Activity 2) on p. 69-70.

FOR EACH GEOLOGIC CROSS SECTION, DO THE FOLLOWING:

- **1.** Determine the relative ages for the rock bodies and other geologic features/events, including, tilting, uplift, faulting, and erosional unconformities.
- 2. List the sequence of geologic events (each one is labeled with a letter) in chronologic order by writing down the letters from oldest (bottom of list) to youngest (top of list) in the column of blanks. For each dated event you must also indicate which stratigraphic law was used to place the event in its proper time slot. Use the following initials for the stratigraphic laws: **SP** = superposition, **IN** = inclusions; **CC** = cross-cutting, **UN** = unconformity.
- 3. Determine and name (by type) all the lettered unconformities found in each cross-section.

	Geologic cross se	ection #1	G	rand Canyon cross se	ection #2
	Age Sequence	Stratigraphic Law	Age Sequen	<u>ce</u> <u>Stratigraphi</u>	<u>c Law</u>
(Youngest)		(Youngest)	_	
				<u> </u>	
				<u> </u>	
					
				_	
				<u> </u>	
			(Oldest)		
(Oldest)					
_	Cross section #1 of Unconformity		Grand Canyo Type of Ur	on section #2 aconformity	
R			R	and	
s	and		S		-
o					
D					

Geologic cross section	ı #3	Geologic cross section #	4 :
Age Sequence	Stratigraphic Law	Age Sequence	Stratigraphic Law
(Youngest)		(Youngest)	
			
			
(Oldest)			
		(Oldest)	
		(Oldest)	
		Geologic cross section #	4
ologic cross section #3		Type of Unconformity (
e of Unconformity		Υ	
		xx	
	(hetween D and I)		
	(between D and 1)	W	_
a	and	U	_ and
		p	



TOURMALINE BEACH FIELD TRIP

THURSDAY 3/19 AND FRIDAY 3/20

Map and directions: p. 31-33


Prelab: p. 34 (bring this with you)

Exercise: p. 35-38 (bring this with you)

IF YOU ARE MEETING THE CLASS PLEASE BE AT THE PARKING LOT NO **LATER THAN 3:00**. Bring a sturdy notebook to write on. There will be some clipboards available to borrow.

Google Maps University of San Diego to Tourmaline Beach

Drive 7.8 miles, 20 min



University of San Diego

5998 Alcala Park, San Diego, CA 92110

32

4 min (1.3 mi)

- -		- 460 II - 476 ft
 Head northwest on Linda Vista Rd 	→ 2. Turn right onto Napa St	3. Use any lane to turn right onto Morena Blvd
-	2	က်
←	L	Ł

		476 ft
Get	Get on I-5 N	
Ł	4.	3 min (0.9 mi)4. Keep right to stay on Morena Blvd
Ł	5.	5. Use the left 2 lanes to turn left onto Tecolote Rd

Continue on I-5 N. Take Grand Ave to Tourmaline St

Turn right to merge onto I-5 N toward Los Angeles

9

0.2 mi

		19 min (F F mi)
*	7.	7. Merge onto I-5 N
\$	œ	Use the 2nd from the right lane to take exit 23A toward Grand Ave/Garnet Ave/Garnet Avenue
*	6	Use the left lane to merge onto Mission Bay Dr
~	10.	Use the left 2 lanes to turn slightly left onto Grand Ave
Ł	<u></u>	11. Turn right after Taco Bell (on the right)
Ł	12.	Turn left onto La Jolla Blvd

0.2 mi

★ 13. Turn left onto Tourmaline St

1 min (0.1 mi)

Tourmaline Beach

601 Tourmaline St, San Diego, CA 92109

These directions are for planning purposes only. You may find that construction projects, traffic, weather, or other events may cause conditions to differ from the map results, and you should plan your route accordingly. You must obey all signs or notices regarding your route.

PRE-LAB EXERCISE_TOURMALINE BEACH FIELD TRIP

SEE TOURMALINE BEACH FIELD TRIP INFORMATION ON BLACKBOARD, and the geologic time scale on p. 63 in the lab manual.

Answer the following on this page and turn in with the rest of the exercise.

you walk south, back to a) the south en	o the cars in the ad of the beach e all the same ag	orth along the beach, then observe the layers of sedimentary rocks as parking lot. Where are the oldest rocks located at Tourmaline Beach?
	c) Paleozoic	ed at Tourmaline Beach are in age.
Eocene in age and com a) fossiliferous b) siltstone c) sandstone ar	posed of limestone nd siltstone te and sandstone	
4. The next formation claystone) and siltstone		, and describe, as you walk along the beach is mostly mudstone (like ame of this formation?
a) Friars Forma	tion	
b) Del Mar Fori	mation	d) Scripps Formation
c) Linda Vista F	ormation	e) Cabrillo Formation
sandstone that is poorl a) fossils are at b) is interprete	y cemented and oundant. d to be a river d d to be a deep m	•
6. The Mt. Soledad and and ends at a) 54.8 Ma b) 5.3 Ma c) 65.5 Ma d) 1.8 Ma	(Ma =	cions are Eocene in age, this epoch starts at millions of yrs ago)
7. We are living in the a) Jurassic b) Devonian c) Tertiary	d) Quaternary	period.

TOURMALINE BEACH EXERCISE

Introduction & Purpose: The coastal geology of San Diego County is beautifully exposed in bluffs of Tourmaline Surf Park. **Sedimentary rocks of Cenozoic ages** were deposited there within various types of coastal marine depositional settings over time. Several unconformities and an ancient fault are also exposed there. The purpose of this lab is to observe, describe, sketch, photograph, and interpret various geologic features in the sea cliff at Tourmaline Surf Park.

Directions:

coastal San Diego.

- Answer the fieldtrip questionnaire.
- Complete the stratigraphic section for Tourmaline Beach on the stratigraphic section blank provided.
- Fill in the section with the proper geologic symbol for the rock type represented for each interval of rock type observed. See the table of rock symbols for the correct symbol used to indicate the various rock types.
- Give the formation name and age that would appear on a geologic map for that unit.
- Write a brief description of each formation on the diagram in the space adjacent to the specific rock unit. This description should include:
 - The range of <u>rock types in the formation</u> (For example, conglomerate with lenses of silty sandstone.)
 - A standard <u>geologic description of the rock type</u>. (For example, if the rock is a conglomerate
 with silty sandstone matrix: estimate the size range of clasts and matrix material, describe the
 composition of the clasts and matrix material, the roundness or angularity of the clasts, the
 sorting of the clasts.)
 - Other observations: fossils observed, unusual minerals, sedimentary structures, the presence
 of graded bedding or cross bedding or other features that tell something about the
 depositional environment.


I. LOWER SECTION ROCKS AT THE NORTH END OF BEACH: CABRILLO AND MT. SOLEDAD FORMATION The Mt Soledad Fm. is exposed in the cliff and is early Tertiary Period/Eocene Epoch in age (52 million years).

Nock types	and _	
2) Estimate the rock fragmer clasts, AND finer-grained matrix		Formation (consider the pebbles and cob
Avg Clast size:	cm	
3) Name the three major rock	types that make up the cob	bbles in the Mt Soledad Formation.
1)	2)	3)
=	contains a unique set of cobl k type and age for the "Pow	bles, called "Poway" clasts , which have ay" clasts.

6) Wh	nat was the most likely depositi	onal environment for the Mt Soledad Fm?
7) Pla	ce the Mt Soledad Formation on y	your Stratigraphic Column Worksheet.
There is	RVATIONS AND ANALYSIS OF THI a fault that cuts and offsets the N	E TOURMALINE FAULT At Soledad and Scripps Formations here. Make observations and take
	Fault Strike and Dip:	and
2)	Offset Motion: Hanging Wall n	noved Up or Down
3)	What type is fault is it?	What type of stress ?
III. OBSEE	RVATIONS AND ANALYSIS OF THE SO	CRIPPS FORMATION:
Therefor Formatic The Scrip of an offs	re, as we head south we will be want on will eventually pass under the lapps Formation is also Eocene age shore sea submarine canyon. The contact between the underlying Note that the contact between the underlying Note that the underlying Note the underlying Note the underlying Note that the underlying Note that the underlying Note the underlying Note the underlying Note the underlying Note t	ed up along a compressional bend in the Rose Canyon Fault Zone. alking "up-section" through the whole sequence, where the Mt Soledad beach, giving way to the overlying Scripps Fm. e (approx. 46 million years old) and formed in the middle to lower sections of the Soledad Fm and the overlying Scripps Fm. ity? If so, which type?
2) What	specific rock types make up the S	cripps Formation?
Ar	nswer:	and
3) What	's the special name for the package	e of numerous, thin layers in the Scripps Fm?
Aı	nswer:	
		<u> </u>
5) What :		m indicates that the sediments in this formation were deposited
An	swer:	and
•	rte the dip angle (tilt angle with res	pect to the horizontal) of the Scripps Formation. Are these rocks dipping
		Dip angle:
Formathat of	ation is in some spots. These irregula	se of the sea cliff, notice how "messed up" (folded, swirled, etc.) the Scripps r swirls are the result of underwater mass movement events (slides, slumps, etc.) ng formed. Did this deformation occur when the Scripps Formation was into a rock?
Answ	ver:	

8)		ear mineral. This minera	al was precipitated insi hydrochloric acid.	until you notice a series of criss-crossing ide cracks in the rock by groundwater. Wha
9)	LABEL and sketch the Scripps Form	ation on your Stratigra		
Befo This		r up on the sea cliff, is liocene San Diego For	a layer of conglomera mation (less than 3 n	te that overlies the Scripps Formation. nillion years old). Observe the south-
	1) Type of unconformity bound	ds the Scripps and San	Diego Fms?	
	2) What span of time does this	unconformity compri	se? my	
	3) What specific rock types ma	ke up the San Diego F	ormation? There ar	e three.
	Answer:		, a	nd
		iego Formation. Identify	and record all the d	stone exposed in the sea cliff contains lifferent fossils you observe. Note: at a k carefully! You'll see 'em!
	Fossil #1:		Fossil #2:	
	5) What 2 sets of evidence in the deposited in a rather quiet warm	=		nts in this formation were
	• 6) LABEL and SKETCH the San Die	go Formation on your S	tratigraphic Column V	Vorksheet.
V. E	Based on field observations at To	ourmaline Surfing Par	k and the introduct	ory comments, answer the following:
	Question 1: On the diagram belo	ow label the following	g: a) sea cliff , b) abra	sion platform, c) marine terrace
	Question 2: Name two geologica	al processes that will	create a marine terr	ace (a former abrasion platform).
	•			
	•			
S. L.	~~~	wave action		

Tourmaline Beach Stratigraphic Column



TOPOGRAPHIC MAPS

Please Review pgs. 155-175 and p. 5-8 In Lab Manual. Pages 160 and 161 will be very helpful.

pre-lab questions due at the beginning of lab.

The following will be posted on Bb

GOOD SITES TO REVIEW MAPS:

- San Diego Topographic maps: http://www.efghmaps.com/SAN_DIEGO/index.html
- http://www.ghosttowns.com/topotmaps.html

HELPFUL WEBSITES:

http://serc.carleton.edu/mathyouneed/slope/index.html

http://serc.carleton.edu/mathyouneed/slope/slopes.html

http://serc.carleton.edu/mathyouneed/slope/topoprofile.html

http://academic.brooklyn.cuny.edu/geology/leveson/core/linksa/vertexag.html HELP WITH VE

PRE-LAB_TOPOGRAPHIC MAPS

Refer to pages 5-8 and 155-175 in the lab manual. Answer the following on scantron form.

Match the numbered word to the letter definition (1-5)

1. Fractional scale a. difference in elevation between 2 points on a map

2. Bar scale b. townships and ranges

3. Topographic profile c. 1 unit on the map represents 24,000 units of same

4. Public land survey units on Earth's surface or ratio scale
5. Relief d. used to measure distance on a map
e. allows a "side-view" perspective

Study the rules for contour lines on p. 170-171. Answer the true/false questions (6-9).

- 6. Every point on a contour line represents the exact same elevation.
- 7. Contour lines always cross one another on the map.
- 8. The farther apart the contour lines are on the map, the steeper the slope.
- 9. Contour lines form a V pattern when crossing streams that points downstream.

Match the numbered word to the letter definition (10-14)

10. Latitude a. can be traced through England, Africa, and the south Atlantic

11. Longitude b. shortest distance between 2 places on Earth

12. Prime Meridian c. east-west distance on Earth,

13. Great Circle d. north-south distance, measured as an angle from the center of Earth

14. The Equator e. 0° 00′ 00″

- 15. What is the correct latitude for San Diego?
 - a) 32° 45′ N
 - b) 117° 08' W
 - c) 30° 30′ N
 - d) 116° 45′ W
 - e) 35° 32′ 45″ N
- 16. What is UTM zone for San Diego (p. 164)?
 - a) 5
 - b) 11
 - c) 16
 - d) 32
 - e) 116

SEE PAGES 5-8 and 155-175 In Lab Manual for help Name:	
Section A: Topographic Fundamentals and Features 1. In what years was this map published or revised?,,	
2. What organization created this map?	
3. What type of map projection was used to create this map?	
Coordinate Systems 4. Write latitude & longitude coordinates the two corners of this map? (include hemisphere letter) NE Corner SW Corner	
Latitude: Longitude:	
5. Latitude & longitude interval (arc distance) tick marks, along edge of the map, are minutes a	part.
UTM: 6. Which UTM zone is this map area located in?	
7. What color are the UTM coordinate tick marks found along the outside edge of this map? Answer:	
8. The blue UTM tick mark intervals along the edge of the map are meters apart.	
9. What are the UTM coordinates for each of the two corners of this map? (include units & E or N) NE Corner SW Corner Easting:	
Easting:	
Map Scale 10. What is the ratio scale of this map?	
11. What is the verbal scale of this map?	
12. One inch on this map equals exactly inches of real ground distance.	
13. One centimeter on this map equals kilometers of real ground distance. show work	
14. Roughly, how many square miles of real ground does this map cover (Including Legend area)?show work	
Magnetic Declination 15. What is the magnetic declination? East or West declination?	
16. The declination is based on what year?	
17. Name the topographic map that continues to the NE of this map?	

Map Features and Symbols	
18. What do red dashed or solid lines represent?	_ [Hint: Related to PLS]
19. What do associated red numbers indicate?	[Hint: Related to PLS]
20. Difference between the black dashed and solid double lines?	
21. What type of symbols represents buildings on the map?	
Section B: Location, Bearing, and Distance <u>Establishing Location</u>	
22. Interpolate the best approximate latitude and longitude for these locations <u>(include latitude lat</u>	de hemisphere letter):
Latitude:	
Longitude:	
23. Interpolate the best approximate latitude and longitude for these locations <u>(incluedata)</u> <u>Quarter Domes</u> <u>Liberty Cap</u>	de hemisphere letter):
Latitude:	
Longitude:	_
Establishing Bearing and Distance 24. Determine the bearing and distance from Half Dome to Clouds Rest.	
Quadrant bearing:	
Azimuth bearing:	
Distance (miles):	
25. Determine bearing & distance from Glacier Point (triangular BM, 7214') to Bridalv 4800' contour. Quadrant bearing:	eil Fall, where Creek crosses
Azimuth bearing:	
Distance (miles):	
Section C: Contours and Surface Relief Contours 26. What is the contour interval of the map?	
27. What is the contour interval between the dark/thicker contour lines?	
28. What is the highest measured elevation (benchmark, in feet) on this map?	
29. What is the lowest measured elevation (benchmark, in feet) on this map?(see Merce	d River)
30. What is the total relief of this area? (Difference between highest and lowest elevations	s?)

show work:

Contours 31. Tightly-spaced contour lines represent what type of geographic feature?
32. Broadly-spaced contour lines represent what type of geographic features?
33. Sets of contour lines that form "V"-shaped patterns pointing to lower elevations represent what sort of general
geographic feature? (hint: either stream channels or ridge lines) Answer:
34. Sets of contour lines that form "V"-shaped patterns that <u>point</u> to <u>higher</u> elevations represent what sort of general geographic feature? (hint: stream channels or ridge lines?)
Answer:
Geographic Features 35. Which direction does the Merced River Flow through Yosemite? East or West?
Answer :, or,
36. What special name is used in Yosemite Valley for high promontories that form flat-topped "bulls-eye" contour patterns? (hint: rhymes with "home") Answer:
SECTION D: Vertical Exaggeration (VE) and Topographic Profiles Across Yosemite Valley:
1) Complete in lab manual: Activity 9.6 on p. 264. Tear out and attach.
2) Topographic Profiles
Construction of the Tenaya Creek profile A-A'
Instructions : Construct a topographic profile of the eastern end of Yosemite Valley across Tenaya Creek from the
intersection of red section line & SW ridge on Mt. Watkins (A) to the top of Clouds Rest (A').
a. REVIEW THE INSTRUCTIONS FOR CREATING PROFILES IN YOUR LAB MANUAL P. 251
b. Use only enough index (dark/bold) contour lines to allow you to construct a complete profile.
c. Do not vertically exaggerate (your vertical scale is the same as your horizontal) or use vertical scale given by the
instructor.
Construction of the El Capitan Meadow profile B-B'
Instructions: Construct a topographic profile of the central portion of Yosemite Valley across The Merced River
from the top of KP Pinnacle on El Capitan (B) to the top of Cathedral Rocks (B'). Review points a-b-c above used for
Tenaya Creek profile.
Comparison between the Tenaya Creek and the El Capitan Meadow Profiles
37. Describe the general shape of each of the profiles across Yosemite Valley ("V" or "U"?)
Tenaya Creek Profile A-A'; El Capitan Meadow Profile B-B'
38. Which erosional agent is primarily responsible for the shaping of these two sections of Yosemite Valley? Choose between water, ice, and wind. Briefly explain your choice.
Tenaya Creek Profile A-A'
El Capitan Meadow Profile B-B'

VERTICAL EXAGGERATION TAKE-HOME EXERCISE

Color copy will be circulated in class

Name: _____

Use the elevation profile below to complete this exercise.




Figure 1: Elevation profile of the John Muir Trail (source: http://hikeforcancer.tripod.com/jmt.html)

- 1) You are planning to backpack the 200+ mile **John Muir Trail**, which passes through Yosemite, Kings Canyon, and Sequoia National Parks (lucky you!). Using the topographic profile above, **answer the following questions** to help plan your trip. Show ALL work to receive full credit.
 - **a.** What is the **vertical scale** of the topographic profile?
 - **b.** What is the **horizontal scale** of the topographic profile?
 - **c.** Calculate the **vertical exaggeration** of the topographic profile.

Show work:

d. Why is it important to know the vertical exaggeration of the profile when planning your hike?

	h
ft/mi	
% slope	
	7
ft/mi	
% slope	
elevation. Calculate the gradient starting from both sides of the peak (as you did in	its
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	ft/mi% slope What is the gradient from Crabtree Meadows to Mt. Whitney (peak)? <i>Give your answer in both ft/mile and</i> %. Show work: ft/mi

HELP WITH SLOPE!

Convert gradient to % slope:

- start with: Gradient = 60ft /mile
- change miles to feet, so feet cancel
- 60ft / 5280ft = .01 (5280ft = 1 mile)
- .01 x 100= 1% slope

GEOLOGIC STRUCTURES

Please Review pgs. 189-204 in Lab Manual

HELPFUL INFORMATION

STRUCTURAL GEOLOGY: PLEASE READ

Introduction & Purpose: Structural geology is the study of how geologic rock units are initially arranged and later deformed. Changing spatial relations between geologic units and the stress and strain that occur during deformation events are key aspects in understanding geologic structures. The purpose of this lab is to both learn and apply the concepts of structural geology to reading and interpreting geologic structures including tilted beds, folds, and faults. The terms and concepts of geologic structures, the application of structural geology to mountain building events, and the techniques used to interpret geologic structures will be presented and discussed. The three types of graphic representations of geologic structures:

1) geologic maps, 2) geologic cross sections, and 3) block diagrams will also be highlighted and discussed. The purpose of this laboratory exercise is to become successful at applying the principles of structural geology for both, interpreting surface and subsurface structural and geologic relations, stress and strain regimes, and solving structural problems, concerning geographic regions that expose a rock record of igneous, metamorphic, and sedimentary events, folding and faulting, and surface erosion.

PART I. Knowing and Understanding Structural Terms and Symbols A. Measuring the Attitude of Rock Units

Attitude is the spatial orientation of planar rock structures. Two aspects of attitude are needed to constrain a rock unit or surface orientation in three-dimensional space: 1) Strike and 2) Dip. Strike is the compass bearing of a line formed by the intersection of a horizontal plane and the (inclined) plane of the layered rock feature. Strike can be expressed as either a quadrant, or an azimuth bearing.

Dip is the angle between the horizontal plane and the planar rock unit or feature. **Dip** direction is always down the inclined plane and is perpendicular to the strike. Strike and dip are drawn on geologic maps as a "T-like" symbol – the long segment is the strike; the short segment the dip. A number nest to the short segment represents the dip angle. In the field, geologists measure attitude with a compass (strike) and an inclinometer (dip).

B. Geologic Map Symbols

Geologic symbols are used on geology maps to indicate one or more characteristics of the rock formation at the point on the map that they (the symbols) are placed. Some commonly used map symbols are found in **Figure 4 on page 194** (you will refer to these symbols for interpreting and making geologic maps, cross sections, and block diagrams). Map symbols indicate 1) attitude (e.g. strike and dip of either, bedding or foliation), 2) formation contacts, 3) fault lines (rock type, location, and planar orientation), 4) fold axes (type, location, and their limb orientations), and 5) rock formation information (type, name, and age). You will need to be able to recognize and interpret these symbols while working on geologic maps and diagrams.

C. Major Types of Geologic Structures

Mappable rock units are called formations. Locations where rock formations are exposed at the earth's surface are called outcrops. Undisturbed rock formations such as sedimentary beds and lava flows are typically horizontal and planar in spatial orientation. However, shifting tectonic plates produce a variety of stresses in the crust that will, over time, cause crustal deformation such as uplift, tilting, erosion, faulting, and folding of formations. Faults and folds exposed at the earth's surface in outcrops have unique structural characteristics that can be recorded, mapped, identified, categorized, and analyzed.

D. Rules for Interpreting Geologic Structures REMEMBER THESE RULES

Carefully study and use these rules to complete the lab exercise.

- 1) Layers of rock dip downward towards where the youngest rock layers are exposed at the surface.
- 2) The older rocks are exposed in the center of eroded anticlines and domes.
- 3) The younger rocks are exposed in the center of eroded synclines and basins.
- **4)** Plunging anticlines form "U" shaped outcrop belts (map view). The plunge arrow points towards the closed end of the "U".
- **5)** Plunging synclines form "U" shaped outcrop belts (map view). The plunge arrow points towards the open end of the "U".
- **6)** The steeper the dip of a layer, the more narrow its exposed width where it crops out at surface (map view).
- 7) In <u>reverse faults</u> (compressional stress), the hanging wall tends to move up relative to the footwall (pushed together).
- **8)** In <u>normal faults</u> (tensional stress), the hanging wall tends to move down relative to the footwall (pulled apart).
- **9)** Strike of bedding or planar rock formations is parallel to direction of rock formation contacts on the map view.

Name:			

Drawing and Interpreting Geologic Structures in Block Diagrams

Introduction: Three-dimensional geologic block diagrams are simplified scaled-down models of Earth's crustal rock structures, which include 1) formations, 2) unconformities, 3) faults, and 4) folds. The top of the block diagrams is called the map-view (ground surface), whereas, the sides are called cross-sections (vertical, side-views beneath the ground surface). Visualize the 2-D representations as 3-D structure.


Proper writing syntax:

STRIKE: N so many degrees E or W, e.g., N75ºW.

DIP: so many degrees below horizontal & quadrant compass direction, e.g. 52°SW.

Block Diagram [perspective sketch to appear 3-dimensional – to appear like a 3-D object] - Made from map and cross-section views.

1. a) Complete map view showing 4 beds with strike and dip symbols on beds. b) Complete the cross-section and put correct numbers on each bed to indicate relative age.



Geologic Map→





Cross-Section →



2. Complete map view


a) Draw bed contacts [boundary between two beds, drawn as a line]; b) relative age numbers on beds [by convention, #1 is the oldest bed]; c) strike and dip symbols.






- **d.** Describe orientation of 3 beds drawn on geologic map with: Strike ______; Dip _____.
- e. The youngest bed is: _____ (give its correct number)
- **f.** The oldest bed is: _____ (give its correct number)

3.Tilted sedimentary beds:




- **a)** Measure the **dip** of the sedimentary beds and record (degrees and compass direction):
- **b)** Draw the bed contacts on the map.


USE <u>SAME CROSS-SECTION GIVEN</u> IN BLOCK DIAGRAM <u>ABOVE</u>.



Map i.



Map ii.



Map iii.

The 3 maps here show variations of strike direction but have same cross-section.

- i. This is current MAP, defined by the block diagram printed above.
- ii. Same 6 beds with different strike.
- iii. Same 6 beds with even different strike.

Strike for Map i.:

Strike for Map ii.:


Strike for Map iii.:

4. Folded, but non-plunging sedimentary bed shown in geologic map view as a dashed line. a. Add contact lines to Map view and list STRIKE			the North arrow and
	N		
b. Determine the STRIKE of the beds :			
c. Estimate visually the angle and direction of th	e DIP of the beds	to the <u>west</u> of the fol	ld axis:
(remem	ber the correct sy	ntax)	
d. What is angle and direction of the DIP of the	beds <u>east</u> of the f o	old axis?	
e. Number the beds on the cross-section face of	the block. (Numb	er 1 is oldest.)	
f. What bed is youngest?	(give bed num	ber) [by convention	, #1 is the oldest bed]
g. Remembering that sedimentary beds are "origing section of the contract of t	nally horizontal", 1	this now-deformed ge	eologic feature is called:
h. Stress or stresses that could produce this serie	es of deformed be	ds:	
i. Tectonic boundary or boundaries that could pro	oduce this deform	ation:	
j. Which three of the numbered "Rules for Interdemonstrated by working this question?	preting Geologic	Structures "have yo	u "proved" or

5. Folded feature: Observe the axis of this fold is not oriented North and South.

Added observations: - Contact lines between beds are curved.

- The unit or bed in SW corner of map is early Silurian age.
- The rock unit in NE corner is late Silurian age.
- a. What is this deformed geologic feature called?
- b. What compass direction does it plunge?



c. Measure and record the STRIKE of the fold axis here: _____

d. The average DIP direction of beds, along the fold axis is:

e. The beds SE of the axis in the map DIP in what general, compass quadrant direction?

f. What is the general DIP on other side of the fold axis?

g. The geologic stress or stress responsible for the deformed feature:

h. Tectonic boundary or boundaries that could produce this deformed feature are:

i. Chose the "paired compass directions" of stresses that produce this folded feature. Draw arrows representing stress to help.

i. N - S;

ii. NE - SW; iii. E - W; iv. SE - NW


FAULTS: see p. 197-199


1) The tilted, faulted beds with slickensides showing grooves PARALLEL TO DIP OF FAULT PLANE.

a. Name the type of fault:


b. Add the symbol on MAP view that verifies the rule that dip direction always points toward younger beds.

c. Add fault off-set arrows in proper place.







2) COMPLETE THE FAULT DIAGRAMS: ON THE RIGHT BELOW: FINISH BLANK FRONT SIDE OF CUBES




1.



- 1) FINISH blank side of cube
- 2) Label Hanging and Footwall
- 3) Type of Fault:
- 4) Tectonic stress:



- 1) FINISH blank side of cube
- 2) Label Hanging and Footwall
- 3) Type of Fault:
- 4) Tectonic stress:



- 1) FINISH blank side of cube
- 2) Label Hanging and Footwall
- 3) Type of Fault (be specific):

4) Tectonic stress:

STRIKE AND DIP BED AND BLOCK EXERCISES

Measure the strike and dip of the two planar objects the instructor has set up in the lab:

- a) Planar Object #X Strike = _____ Dip = ____
- b) Planar Object #Z Strike = _____ Dip = _____

TECTONIC STRESS AND FAULTS/PLATE BOUNDARIES

Directions: Complete Columns "B", "C", "D" and "E" below.


Column A: Block diagrams illustrate three types of crustal faulting.

Column B: List changes to Crust surfaces in each case.

Column C: Give names of major fault types (see column "A").

Column D: General type of crustal deformation (stress) associated with type of faulting.

Column E: The type of plate boundary associated with columns "A through "D".



PRACTICE 3-D STRUCTURE MODELS

Directions: In this exercise, you will construct and analyze geologic block models using the six models provided in the <u>back of your lab manual</u>. The models are easy to construct by simple folding.

NAME AND <u>DESCRIBE</u> THE STRUCTURE FOR EACH CARDBOARD MODEL See Activity 5 p. 213-214 for additional <u>practice</u> questions for each model.

MODEL 1:	,
MODEL 2:	,
MODEL 3:	,
MODEL 4:	,
MODEL 5:	,
MODEL 6:	

Structure Laboratory Reflection

Directions: Write a reflection (on the back side of the pages you are turning in today) about your experience in doing the geologic map exercises lab today. Include the following: 1) What was the purpose of the lab?; 2) What did you learned from this laboratory?; 3) What did you find interesting? 4) What were the problems and challenges you encountered; and 5) Your opinion on how this lab was designed. **Write this on the back of the previous page.**

GEOLOGIC MAPS Nan	
-------------------	--

INTRODUCTION:

A geologic map is a scaled-down, two-dimensional abstract representation of the surface geology, structure, and relief of a geographic region of Earth or other terrestrial planet. A geologic map typically includes most of the information found on a topographic map but most importantly also includes color-coded regions and symbols that denote rock units, ages, contacts, and other structural information. All of the geologic color-coding and symbols are explained in the legend on a geologic map, including topographic and cardinal-point compass information.

A. READING AND INTERPRETING A GEOLOGY MAP

Directions: First do a general examination of the entire geologic map of the **DEVIL'S FENCE QUADRANGLE.**Carefully examine the various rock units represented by the colored regions and related map symbols on the map that portray the surface geology of this area in the Rocky Mountains. Note their shape, aerial extent, and the larger structural patterns formed by spatially- associated outcropping rock units. Use the "Explanation" part of the map to decipher the rock units, in terms of formation name, **age**, and lithology. Also use the explanation to the left of the map to decipher the structural relations of the various formations, including strike and dip, folding, faulting and **age ranges** of formations. Finally, answer the following questions, based on your analysis of the Devil's Fence Quadrangle.

DEVIL'S FENCE QUADRANGLE.

GEOGRAPHIC AND TOPOGRAPHIC QUESTIONS (include all appropriate unit abbreviations)
1) What state is this region located in?
2) What is the magnetic declination for this region?
3) What is the map and verbal scale for this map?
4) What is the contour interval of this map?
5) How many square miles does this map cover?
6) What is the total vertical relief for this area?
7) What topographic feature (hill, ridge, valley, etc.) does Devil's Fence correspond with?
8) What <i>geological</i> feature (syncline, anticline, fault, etc.) is the Devil's Fence area?
GEOLOGIC QUESTIONS
9a) List the major lithologies in this area, as listed in the map legend. Include at least six rock types.
,, and
9b) What is the total range in age for the various rock types found on the map? MY's
10) How old is the Colorado Formation? ma Locate this unit on the map.

11) This rock unit forms the center of what general type of deformational geologic structure, such as a fold or
fault? (hint: notice the upside down "V" shaped pattern of rocks)
12) If you wrote down "fold", is it a syncline or an anticline?
13) What information did you use to tell whether it was a syncline or an anticline?
14) Is it a horizontal or plunging fold? How could you tell?
15) Determine the strike of fold axis If plunging, then which direction is the fold plunging?
16) How old is the Grayson Shale? ma Locate this unit on the map.
17) This rock unit forms the center of what general type of deformational geologic structure, such as a fold or
fault? (hint: notice the upside down "V" shaped pattern of rocks)
18) If you wrote down "fold", is it a syncline or an anticline?
19) What information did you use to tell whether it was a syncline or an anticline?
20) Is it a horizontal or plunging fold? How could you tell?
21) Determine the strike of fold axis If plunging, which direction is the fold plunging?
22) How many distinct folds are shown on this geologic map? Hint: Way more than two!
23) The deviatoric stresses that caused the folding come from which two compass directions?
24) When did the folding event occur? <i>Hint: It happened</i> <u>after</u> the age of the youngest folded rock formation, but <u>before</u> the oldest non-folded rock formation.
Deviatoric stress: $d\bar{e}v\cdot\bar{e}\cdot\partial_t'$ tör·ik 'stres) (geology) A condition in which the stress components operating at a point in a body are not the same in every direction. Also known as differential stress.
GEOLOGIC MAP EXERCISE 2: LA JOLLA QUADRANGLE
1. What is the name and age of Ta?
2. What is the name and age of Kcs?
3. What is the name and age of QIn?
4. What is the regional (average) elevation of mesas that are capped by Qln?

5. What is the elevation of Mt. Soledad where Ta and Kcs outcrop (more than one location)?				
6 . Mission Valley and San Clemente Canyons are generally east-west trending valleys that dissect the mesas. Are there two valleys <u>stream erosion valleys</u> or are they <u>fault-controlled</u> ?				
7 . Interstate 5 runs north-south along Rose Canyon, east of Mission Bay, separating Mt Soledad from the mesas to the east. Parts of Tecolote Canyon (north of USD) trend parallel to Rose Canyon. Are the I-5 valley and Tecolote Canyon <u>normal stream erosion</u> or <u>fault-controlled valleys</u> ?				
8. Use the C-C' cross section to determine the type of fold that is observed in Pacific Beach				
 Observe the unnamed fault east of the Rose Canyon Fault Zone. Indicate (circle one) the fault type: <u>normal</u> <u>reverse</u> <u>strike-slip</u>. 				
10 . Use the B-B' cross section to determine the <u>type of fold</u> associated with Mt. Soledad				
11. Follow the trace of the Rose Canyon Fault Zone from Mission Valley along I-5 to La Jolla Cove, where it goes offshore. What are the three primary faults that comprise the Rose Canyon Fault Zone?•				
•				
12 . Compare cross sections B-B' to C-C'. State whether the Pacific Beach Syncline is plunging or horizontal. If plunging, give the compass direction (N or S) and <u>evidence to support</u> your answer.				
13. What is the age, rock type and formation name of rocks on which USD is built? Give the same information about the rocks that outcrop on the sloping hills around USD.USD:				
Sloping Hills:				
14. An inactive branch of the Old Town Fault (part of the Rose Canyon Fault Zone) cuts through Marion Way and under Camino Hall. a. What is the approximate strike and dip of this fault?				
b. In what rock formation is it visible on the surface?				
15 . Examine cross section C-C' that crosses USD.				
a. If you wanted to drill from behind Serra Hall, how deep would your hole need to be in order to reach Cretaceous-aged rocks? <i>(do not forget units)</i>				
				

b . Locate where the trace of the Pacific Beach Syncline intersects cross section C-C'. If you drilled a similar hole at
the hinge line (axis) of the PB Syncline, approximately how deep would you drill before you encountered
Cretaceous-aged rocks?

c. Why is the depth of the Cretaceous rock so different in these two locations?

FOSSILS

Important Information: During the lab final, you will be asked to identify fossils and determine the age (to the Era) of a fossil assemblage. You will be required to identify fossils using the following common names or taxonomic classifications (common names are given in quotation marks).

You should also know the geologic range of the following groups.

- P. Cnideria:
 - o C. Anthozoa
 - o O. Rugosa (Rugose or horn corals)
 - O. Tabulata (Tabulate corals)
- P. Brachiopoda:
- P. Mollusca:
 - o C. Gastropoda
 - o C. Bivalvia (Pelecypoda)
 - o C. Cephalopoda, "Ammonites", "Nautiloids"
- P. Arthropoda:
 - o C. Trilobita (Trilobites)
- P. Echinodermata:
 - o C. Echinoidea
 - C. Crinoidea (Crinoids)

FOSSIL AGE ASSEMBLAGES OF GEOLOGICAL ERAS

Paleozoic – 542 to 251 Ma

Phylim Arthropoda, Class Trilobita "Trilobites"

Phylum Echinodermata, Class Crinoidea, "Crinoids"

Phylum Cnidaria, Class Anthozoa, Order Rugosa "horn corals"

Phylum Cnidaria, Class Anthozoa, Order Tabulata "tabulate corals"

Phylum Brachiopoda, "Brachiopods"

Phylum Mollusca, Class Cephalopoda, "nautiloids", (simple sutures)

Mesozoic - 251 to 66 Ma

Phylum Mollusca, Class Cephalopoda, "ammonites"

Phylum Mollusca, Class Cephalopoda, "belemnites" (internal skeleton)

Phylum Mollusca, Class Cephalopoda, Order "Ammonoid", Genus Baculites, (straight with complex sutures)

Cenozoic – 66 Ma to present

Phylum Mollusca, Class Bivalvia

Phylum Echinodermata, Class Echinoidia (sea urchins)

Phylum Mollusca, Class Gastropoda, "fancy", "armoured" gastropods

EOSC110: FOSSILS LAB

At each station, **observe and sketch the examples** of the fossils you see. Compare them to the pictures in your **handout** and look for the features that are common for each group. During the lab final, you will be asked to identify fossils and determine the age (to the Era) of a fossil assemblage. You will also be required to give the mode of fossilization.

PART 1: MODES OF FOSSILIZATION (pages 143-145)

STATION 1.1: TRACE FOSSILS

A trace fossil provides evidence of animal behavior in the past and may not comprise the remains of ancient organisms.

Examine the examples of the following types of trace fossils and make a guess of what organism produced them:

A: Burrows

B: Worm tubes

C: Boring into a hard rock by a clam.

D: Tracks

STATION 1.2: MODES OF FOSSILIZATION: PRESERVATION WITHOUT ALTERATION.

<u>A: Hard parts</u>. Parts of the original aragonite shell are preserved in these fossils. Eventually, aragnoite, a calcium carbonate mineral that commonly is found in molluscs, will recrystallize to the mineral calcite. But here, these fossils show the original aragonitic shell material.

<u>B. Soft parts.</u> This fossil insect from the Eocene has been preserved in fossilized tree sap, or amber. Amber preservation though very rare provides much of the information we know about delicate insects. The bubbles in the amber preserve a sample of fossilized air from the Eocene. Geochemists have studied ancient atmospheres by analyzing fossil air bubbles in Amber. **Examine this fossil with magnifying lens and list any insects you recognize.**

- •
- •
- •

STATION 1.3: MODES OF FOSSILIZATION: CARBONIZATION

- A. The mode of fossilization shown at this station is carbonization. What is carbonization?
- **B.** These two samples show well preserved carbonized fossils from the Eocene Green River formation. The Eocene Green River Formation is a fossil-rich deposit in Wyoming and Utah and Colorado which was once an ancient lake.
 - 1. List several fossils that are preserved in the Green River Formation?
 - •
 - •
 - •
- **C.** This sample, which is also from the Green River Formation contains water beetles.
 - **2.** Explain why fossil insects are rare?

STATION 1.4: MODES OF FOSSILIZATION: PERMINERALIZATION

Permineralization or petrification is represented at this station.

- **3.** What is permineralization or petrification?
- **4.** What types of fossils shown at this station?

STATION 1.5: MODES OF FOSSILIZATION: RECRYSTALLIZATION, REPLACEMENT, VOID-FILLING CEMENT

At this station are examples recrystallization and replacement.

- **A. Recrystallization.** The fossil shells at this station were originally aragonite. However, over time their aragonitic shells recrystallized to calcite. Because the minerals recrystallized on a molecular level, the details of the original shell shape are preserved.
- **B.** This ammonite was originally had an aragonitic shell. The shell was dissolved away by percolating ground waters and pyrite filled in the empty void in the sedimentary rock. This process is called **Replacement**. Replacement by pyrite is often called **Pyritization**.
- C. Minerals such as calcite, (as seen here) or chert, often crystallize in the empty pore spaces of fossils to fill the void. This is called 'Void-Filling Cement'. Here we see calcite void-filling cement filling up the chambers of a fossil ammonite. You can see the crystal faces of the void-filling calcite filling the pores.
 Draw a diagram of the sample and draw an arrow indicating the "void-filling calcite".

STATION 1.6: MODES OF FOSSILIZATION: IMPRESSIONS (MOLDS AND CASTS)

- **A.** This is your chance to go back to kindergarten and play with play dough again. Using these shells and the play dough, Make the following (see Fig. 4.1):
 - i. Internal mold
 - ii. External mold
- **B.** Here are some internal molds.

STATION 1.7: PRACTICE QUIZ: MODES OF FOSSILIZATION.

- **A.** Identify the Modes of fossilization shown here.
 - A.
 - В.
 - C.
 - D.
 - E.
 - F.

PART 2: PALEOZOIC FOSSILS

From http://www.ucmp.berkeley.edu/cambrian/cambrian.php

The Paleozoic is bracketed by two of the most important events in the history of animal life. At its beginning, multicelled animals underwent a dramatic explosion in diversity, and almost all living animal phyla appeared within a few millions of years. At the other end of the Paleozoic, the largest mass extinction in history wiped out approximately 90% of all marine animal species.

Two great animal faunas dominated the seas during the Paleozoic. The "Cambrian fauna" typified the <u>Cambrian</u> oceans; although members of most phyla were present during the Cambrian, the seas were dominated by **trilobites**, inarticulate **brachiopods**, monoplacophoran molluscs, hyolithids, "small shelly fossils" of uncertain systematic position, and archaeocyathids. Although all of these except the archaeocyathids survived past the Cambrian, their diversity declined after the Ordovician. **Later Paleozoic seas were dominated by crinoid and blastoid echinoderms, articulate brachiopods**, graptolites, and tabulate and rugose corals.

The Permian extinction, 251.4 million years ago, devastated the marine biota: tabulate and rugose corals, blastoid echinoderms, graptolites, the trilobites, and most crinoids died out. One lineage of crinoids survived, but never again would they dominate the marine environment.

STATION 2.1. PHYLUM CNIDERIA, CLASS ANTHOZOA, "CORALS" (p. 167 Fig. 4.17)

Corals are in the Phylum Cnidaria. Corals are like sea-anemones that secrete a hard skeletal cup in which they sit. The Class Anthozoa includes three orders of corals which commonly occur in the fossil record. The orders are the Order Tabulata (tabulate corals) (Ordovician to Permian) and the Order Rugosa (rugose or horn corals) were common fossils in the Ordovician to Permian period of the Paleozoic.

A. Fossils marked here represent the **tabulate corals**. There corals are exclusively colonial. They have prominent tabula and are missing septa. Compare these to the pictures in the handout **(p. 167 Fig. 4.17)** to see if you can identify the **"chain coral"** *Halysites* (see handout) and the **"honeycomb coral"** *Favosites*.

Draw	examp	les.
DI a W	CAAIIID	ıcs.

"chain coral" Halysites

"honeycomb coral" Favosites

B. These rugose corals (commonly called "horn corals") are characterized by prominent septae and a horn-like shape. Unlike tabulate corals, these corals can be solitary or colonial. Compare these fossils to the pictures in Fig. 4.17 p. 167.

Draw an example:

rugose corals "horn corals"

STATION 2.2: PHYLUM BRACHIOPODA "BRACHIOPODS" (p. 171-174 Fig. 4.19 and 4.20)

- A) Although members of the Phylum Brachiopoda or brachiopods are still around, their taxonomic diversity has decreased greatly since the Paleozoic and most genera are extinct. Examine the diversity diagram in Figure 4.19 p. 171 (bottom right) of the handout. During what geologic Period(s) were brachiopods most diverse?
- **B)** Observe these specimens at this station and compare them to the pictures in **Figures 4.19 and 4.20**. Draw a diagram of **one specimen** at this station.
- 1) Draw the side view labeling the pedicle valve & brachial valve.

2)	Draw a view from the top ("map view") of one of the valves with a line of symmetry running through the		
	center of the valve. Are the left and right sides of each valve mirror images?		
	a. Try to match one specimen at this station to one of the brachiopods depicted in Fig. 4.20 p. 172.		
ГАТІС	N 2.3: PHYLUM ARTHROPODA, CLASS TRILOBITA, TRILOBITES (p. 183 Fig. 4.28)		
A)	The fossils at this station part of an extinct class of Arthopods (insects, crustaceans, etc.) called the Class Trilobita, or "trilobites". Trilobites got their name because their segmented bodies can be divided into		
	three lobes. Like many other arthropods, these fossils molted their exoskeleton many times in their life.		
	The exoskeleton would break open along the facial suture and the animal would molt the old skeleton		
	and grow a new one (see Figure 4.28g on the handout). This phenomenon made their fossil record even		
	better.		
1) I	Draw a sketch of a specimen and label the <u>cephalon</u> , <u>thorax</u> and <u>pygidium</u> , the eye and glabella (see Fig.		
4.2	8 c, g on p.183).		
2) [Examine the diversity through time diagram in the upper right-hand corner of Fig. 4.28. During what		
	ologic period did trilobites reach their maximum diversity?		
			
3) I	Here are several trilobite reproductions (fake fossils). Try to match at least two of the reproductions to		
pic	tures in Figure 4.28.		

STATION 2.4: PHYLUM ECHINODERMATA, CLASS CRINOIDEA, "CRINOIDS" (p. 185 Fig. 4.29)

A) The phylum Echinodermata includes sea stars, sea cucumbers, and sea urchins. Stalked, sessile (attached) echinoderms, such as crinoids (Class Crinoidea) lived attached to the sea-floor by a stalk. Although a few species of modern crinoids (sea lilies) inhabit generally deep-water or sheltered environments, they are uncommon in the modern ocean. However, during some periods of the Paleozoic, a great diversity of stalked crinoids covered the floor of shallow seas. The stalk (or column) consisted of stacked poker chiplike calcite plates (columnals) with a hole in the center. Sometimes the stalks and holes show five fold symmetry and sometimes they are round. Draw a sketch of one of the crinoid replicas at this station and label the crown and stem (column).

Sketch: label the crown and stem (column) p. 185 Fig. 4.29

B)	During what geologic period of the Paleozoic were crinoids most diverse	.

C) Commonly, their stalks (columns) would break apart into individual columnals (poker chips) which littered the Mississippian and Pennsylvanian sea floor. Crinoid columnals are common constituents of these shallow-water limestones of late Paleozoic age. These crinoid columnal-rich limestones are called "encrinoidal" limestones. Examine these stalks, columnals, and encrinoidal limestones.

PART 3: MESOZOIC FOSSILS

From: http://www.fossilmuseum.net/Paleobiology/Mesozoic_Paleobiology.htm

Mesozoic means "middle animals," and is the time during which the world fauna changed drastically from that which had been seen in the Paleozoic. <u>Dinosaurs</u>, which are perhaps the most popular organisms of the Mesozoic, evolved in the Triassic, but were not very diverse until the Jurassic. Except for birds, dinosaurs became extinct at the end of the Cretaceous.

The Permian-Triassic (P/T) Extinction Event marked the end of the Permian Period of the Paleozoic Era, and the start of the Triassic Period of the Mesozoic Era. The P/T extinction decimated the brachiopods, corals, echinoderms, mollusks, and other invertebrates. The last surviving trilobite also did not survive. The P/T event set the stage for adaptative radiation in both land and environments. While crinoids were the most abundant group of echinoderms from the early Ordovician to the late Paleozoic, they nearly went extinct during the Permian-Triassic extinction.

Other invertebrates, notably the **bivalves**, **ammonoids**, **and brachiopods recovered to dominate the marine environment**, **and the squid-like Belemites appeared and became abundant. New groups of echinoderms appeared as well. Baculites**, **a straight-shelled ammonite**, **flourished in the seas**. The Cretaceous also saw the first radiation of marine diatoms in the oceans.

STATION 3.1: PHYLUM MOLLUSCA, CLASS CEPHALOPODA, "Ammonites" & "Nautiloids" (Fig. 4.25, 4.26 p.179-180). http://www.ucmp.berkeley.edu/taxa/inverts/mollusca/cephalopoda.php

The class Cephalopoda includes the nautilus, octopus, squid and cuttlefish. Shelled cephalopods called "ammonites" and "nautiloids" (related to the modern nautilus) filled many ecological nitches and are common fossils during the Mesozoic. They went extinct at the end of the Mesozoic at the same time as the dinosaurs. Examine the illustrations of the Mesozoic cephalopods in figures 4.25 and 4.26 p. 179-180.

- A) Examine this shell of a **modern** *Nautilus* and compare it the image in the upper left corner of Fig. 4.25. Nautiloids are characterized by a chambered shell with gas-filled chambers used to control their buoyancy.
- **B)** These are uncoiled (orthoconic) nautiloids like those in Fig. 4.25 c, d, and e. They moved vertically in the water column by adjusting their buoyancy by filling chambers in their shell with gas. Individual chambers are separated from one another by walls called septa. Compare the orthoconic nautiloids to the modern shell of the *Nautilus*. These can be placed in the Paleozoic Era.
- C) Ammonites evolved septa of increasing complexity throughout the Mesozoic. The pattern resulting from the intersection of the septa with the outer shell wall is called the suture pattern. Observe the wide variety of shapes, coiling patterns, and sizes of the ammonites. Compare the specimen to the pictures in Figure 4.26. Although the Ammonites ruled the Mesozoic ocean, they went extinct at the Cretaceous/Tertiary boundary, 65 million years ago.
- **D)** *Baculites* is an uncoiled (straight) ammonite (Fig. 4.25 f). Examine these samples and **sketch the suture patterns.** Are they complex or simple? Compare the uncoiled ammonite *Baculites* to the orthoconic nautiloids.

Sketch of suture pattern:

E) These cigar-shaped fossils (belemnoids) were the internal skeletons of squid like organisms that roamed the Cretaceous seas.

STATION 3.2: CLASS VERTEBRATA, CLASS REPTILIA, "Dinosaurs".

While the ammonites ruled the seas during the Mesozoic, these organisms ruled the land.

PART 4: CENOZOIC FOSSILS

The following is from: Earth through Time, 8th ed. by Harold L. Levin

The invertebrate faunas of the Cenozoic have a modern appearance.

Once-successful groups of invertebrates such as the ammonites and rudist bivalves went extinct at the end of the Cretaceous. The shells of Cenozoic molluscs look like those found on beaches today. The Cenozoic molluscs are dominated by bivalves (clams) and gastropods (snails). Cephalopods are also present, however, not as widespread and abundant as during previous periods when the ammonoids were still present. Modern cephalopods include the chambered *Nautilus*, as well as other forms without a shell (or with a reduced shell) such as squid, octopus, and cuttlefish. Echinoderms are also present in the Cenozoic, particularly free-moving types (as opposed to the attached crinoids of the Paleozoic). Echinoderms include the echinoids (sea urchins, sand dollars, sea biscuits), and the starfish. Modern crustaceans (such as crabs, shrimp, lobsters, barnacles) became well established in the seas during the Cenozoic. **No new major invertebrate groups appeared in the Cenozoic.**

Dominant invertebrates of the Cenozoic include:

- Sponges
- Scleractinian corals modern reef corals (Phylum Cnidaria)
- Bryozoans
- Brachiopods (both articulates and inarticulates)
- Molluscs
 - a. Bivalves
 - b. Gastropods
 - c. Cephalopods
- Arthropods
 - a. Crustaceans
 - b. Insects (on land)
- Echinoderms
 - a. Starfish
 - b. Echinoids (sea urchins sand dollars, and sea biscuits)

STATION 4.1 PHYLUM MOLLUSCA, CLASS GASTROPODA "SNAILS" (p. 177-178, Fig. 4.23)

A) The Class Gastropoda or "gastropods" include snails and slugs. Though gastropods have been found throughout all the eras of the Phanerozoic, in the Cenozoic they evolved a more ornamented shell with high spires, and a siphonal canal. Examine the images in Fig. 4.23 for examples of gastropods typical of the Cenozoic Era. By contrast, the more simple ancient gastropods (archaeogastropods) that were found in the Paleozoic are shown in Fig. 4.24.

STATION 4.2: PHYLUM MOLLUSCA, CLASS BIVALVIA, "CLAMS" (p. 174-175, Fig. 4.21, 4.22)

- **A)** Examine the diversity diagram in 4.21. When did the bivalves (Class Bivalvia) reach their maximum diversity?
- B) Sketch the inside of one of these shells and label the muscle scars (adductors), pallial line, and teeth and sockets. The pallial sinus is an indentation in the pallial line. Deep burrowing types have a larger pallial sinus than shallow-burrowing or non-burrowing types. Did this specimen burrow in the sediments or live on the surface of the ocean floor?

Sketch:

C) How do bivalves (clams) differ from brachiopods (Station 2.2) in appearance?

Look at symmetry of shell **Sketch:** Brachiopod symmetry

Bivalve symmetry

D) Compare these specimens you see at this station to the images in Figure 4.22 p. 175.

STATION 4.3: PHYLUM ECHINODERMATA, CLASS ECHINOIDIA (Fig. 4.30)

These sea urchins, sand dollars, and heart urchins (Class Echinoidea) inhabit epifaunal (on the substrate), semi-infaunal (partially buried in the substrate), and infaunal (buried) habitats, respectively. Whereas the sea-urchins maintain their five-fold symmetry, the sand dollars and heart urchins have evolved secondary bilateral symmetry. This secondary bilateral symmetry appears to be adapted to a life of burrowing, where it is advantageous for the organism to have a more elongated rather than round shape. Echinoids reached their maximum taxonomic diversity in the Cenozoic.

Sketch 2 samples:

PART A QUIZ:

STATION 5: FOSSIL ASSEMBLAGES

Each of the stations includes a group of fossils that could have been found during one of the eras of geologic time. For each fossil assemblage, identify each fossil as specifically as possible and determine the geologic ERA represented by the assemblage.

ERA:	<u> </u>
В)	
C)	
D)	
E)	
F)	
PART B QUIZ: Place each fossil with th	ne correct Era (you decide where to place A through F).
ERA:	ERA:
•	
•	
•	

Please return fossil manual. This will be available on Bb for review.

HOPE YOU ENJOYED THE COURSE!