

Rock Identification Lab



Natural Disasters
ENVI 105 Lab

Ray Rector - Instructor

Types of Rocks

Igneous Rocks

Sedimentary Rocks


Metamorphic Rocks

Texture	Composition		
	Felsic (Granitic)	Intermediate (Andesitic)	Mafic (Basaltic)
Phanitic (course-grained)	 Granite	 Diorite	 Gabbro
Aphanitic (fine-grained)	 Rhyolite	 Andesite	 Basalt
Porphyritic	 Granite porphyry	 Andesite porphyry	 Basalt porphyry

The Rock Cycle

Three Primary Rock Types

- 1) **Igneous**
- 2) **Metamorphic**
- 3) **Sedimentary**




Key Concept:

The Rock Cycle is Perpetuated by Several Major Processes

- 1) Magmatic Activity
- 2) Uplift and Mountain Building
- 3) Weathering, Erosion, Deposition, and Burial of Sediment

THE ROCK CYCLE



Igneous Rocks -

Rocks that form from the cooling of molten rock (magma), Example: granite and basalt

Sedimentary Rocks -

Rocks that are formed from pieces of other rocks, Example: sandstone, or that are deposited from the ocean by chemical processes, Example: limestone



Metamorphic Rocks -

Rocks that are changed by heat and pressure without melting, Example: gneiss



Igneous Rocks


Origin, Properties and Identification



The Rock Cycle

Three Primary Rock Types

- 1) **Igneous**
- 2) **Metamorphic**
- 3) **Sedimentary**



Igneous rocks form by the *cooling* and *crystallization* of underground *magmas* and erupted *lavas*.

Igneous rocks are classified by two mineral criteria:

- 1) *Type and % of minerals*
- 2) *Crystal size & arrangement*


Magma and Lava = Mother Igneous



The **mineralogy** of an igneous rock is *primarily controlled* by the **composition of the magma** or lava that it cooled from.


The **texture** of an igneous rock is *primarily controlled* by the **cooling rate** of its parent crystallizing magma or lava.

Tectonic Environments for Magma Generation




Most Igneous Rocks Form at Plate Boundaries

Predominant Igneous Rock Types at Specific Tectonic Settings



Specific Types of Igneous Rocks Form at Specific Types of Plate Boundaries

Igneous Environments



Féménias Olivier



2004

Basaltic Volcanic Eruptions




Andesitic Volcanic Eruptions



Cooling Rates of Magmas and Lavas Affect Crystal Size

Cooling rates are fast in shallow crust and at surface; this causes magmas and lavas to cool quickly. **Fast-cooling** rates create fine-grained igneous rocks = **Extrusive/Volcanic**


Cooling rates are slow in middle and deep crust and cause magmas and lavas to cool slowly. **Slow-cooling** rates create coarse-grained igneous rocks = **Intrusive/Plutonic**



Cooling and Crystallization of a Magma

Bowen's Reaction Series

- ✓ Early forming minerals are Fe-Mg-Ca rich and silica poor @ high temps
- ✓ Later forming minerals become more richer in Na and silica @ mod temps
- ✓ Last forming minerals are most rich in K and silica @ low temps



- ✓ Final rock type depends mostly on initial magma composition
- ✓ Crystal fractionation processes can also affect magma comp.


Igneous Rock Classification

Igneous Rocks are classified based on two criteria:


- ✓ Mineral - Chemical Composition
- ✓ Texture/Grain Size

		COMPOSITION			
		Felsic (light color)	Intermediate	Mafic (dark color)	Ultramafic
TEXTURE	Coarse	Granite	Diorite	Gabbro	Peridotite
	Fine	Rhyolite	Andesite	Basalt	
	Vesicular	Pumice		Scoria	
	Glassy	Obsidian			
		Minerals Present			
		QUARTZ K-FELDSPAR NA-PLAG	NA-CA PLAG AMPHIBOLE	CA PLAG PYROXENE	PYROXENE OLIVINE
		COMPOSITION			

Igneous Rock Classification



Granitic Plutonic Rocks



Volcanic Rocks



Igneous Chemical Compositions

Ultramafic:

- ✓ Very Iron – Magnesium Rich
- ✓ Super undersaturated in silica
- ✓ Mantle rocks = **Peridotite**

Mafic:

- ✓ Iron–Magnesium-Calcium Rich
- ✓ Undersaturated in silica
- ✓ Oceanic rocks = **Gabbro** and **Basalt**

Intermediate:

- ✓ Between Mafic and Felsic/Silicic
- ✓ Saturated in silica
- ✓ Volcanic Arc rocks = **Diorite** and **Andesite**

Felsic/Silicic:

- ✓ Sodium – Potassium - Aluminum Rich
- ✓ Oversaturated in silica
- ✓ Continental rocks = **Granite** and **Rhyolite**




		COMPOSITION					
		Felsic (light color)	Intermediate	Mafic (dark color)	Ultramafic		
TEXTURE	Coarse	Granite	Diorite	Gabbro	Peridotite	TEXTURE	
	Fine	Rhyolite	Andesite	Basalt			
	Vesicular	Pumice		Scoria			
	Glassy	Obsidian					
		Minerals Present					
		QUARTZ K-FELDSPAR NA-PLAG	NA-CA PLAG AMPHIBOLE	CA PLAG PYROXENE	PYROXENE OLIVINE		
		COMPOSITION					

Mineral Assemblages of Igneous Rock

Light-Colored

Dark-Colored

Composition	FELSIC	INTERMEDIATE	MAFIC	ULTRAMAFIC
Rock types	Granite Rhyolite	Diorite Andesite	Gabbro Basalt	Peridotite



Igneous Rock Textures

Phaneritic Texture:

- ✓ Coarse Grain Size = Slow Cooling
- ✓ Plutonic Rocks = Coarse-grained

Aphanitic Texture:

- ✓ Fine Grain Size = Fast Cooling
- ✓ Volcanic Rocks = Fine-grained

Porphyritic Texture:

- ✓ Large crystals in aphanitic groundmass = slow cooling followed by rapid cooling
- ✓ Porphyry Rocks = Mixed-grain

Vesicular Texture:

- ✓ Fine-grained to glassy with Cavities
- ✓ Lots of tiny vesicles = pumice
- ✓ Fewer larger vesicles = scoria

Glassy Texture:

- ✓ Little to no crystals = natural glass
- ✓ Super rapid cooling
- ✓ Obsidian is dark in color
- ✓ Pumice is light in color

- <http://www.rockhounds.com/rockshop/rockkey/index.html>

		COMPOSITION			
		Felsic (light color)	Intermediate	Mafic (dark color)	Ultramafic
TEXTURE	Coarse	Granite	Diorite	Gabbro	Peridotite
	Fine	Rhyolite	Andesite	Basalt	
	Vesicular	Pumice		Scoria	
	Glassy	Obsidian			
		Minerals Present			
		QUARTZ K-FELDSPAR NA-PLAG	NA-CA PLAG AMPHIBOLE	CA PLAG PYROXENE	PYROXENE OLIVINE
		COMPOSITION			

Igneous Rock Pairs

Classification by texture

Extrusive

Fine grained

Basalt

Andesite

Rhyolite

Intrusive

Coarse grained

gabbro

diorite

granite


Classification by composition

•magnesium (Mg) + iron (Fe) = mafic

•feldspar + quartz (Si) = felsic



Plutonic Rocks = Coarse-Grained Textures



Field Outcrops of Plutonic Rocks





Phaneritic Texture




- ✓ Intrusive -Plutonic
- ✓ Coarse-grained
- ✓ Cooled Slowly

Volcanic Rock = Fine-Grained Textures

Porphyritic



Aphanitic





- ✓ Extrusive -Volcanic
- ✓ Fine-grained
- ✓ Cooled Rapidly

- ✓ Combo Plutonic -Volcanic
- ✓ Coarse-grained phenocrysts in a fine-grained groundmass
- ✓ First cooled Slow, then Fast

Other Volcanic Rock Textures


Glassy

Obsidian



Vesicular


Vesicular Basalt



Fragmental



Igneous Rocks Under a Microscope




Granite




Rhyolite




Obsidian





Gabbro




Basalt



Welded Tuff



Formation and texture




1. **Pyroclasts** form from airborne lava in violent eruption

2. **Extrusive igneous rocks.** Cool rapidly on the Earth's surface

3. **Intrusive igneous rocks.** Cool slowly in the Earth's interior allowing large crystals to form

4. **Porphyry** starts to grow below the surface but before solidification is brought to the surface


Color Index of Plutonic Rocks



Igneous Rock Classification

IGNEOUS ROCKS CLASSIFICATION

1. Color Index
Estimate the rock's color index (CI): % of mafic mineral crystals or darkness of the rock.



2. Minerals
Identify minerals in the rock, if possible, and their percent (by volume) of the whole rock. Skip this step if mineral crystals are not visible or are too small to identify.

3. Texture(s)
Identify the rock's texture(s).

4. Rock Name: Select name below, based on data from steps 1-3.

		0 to 15% mafic crystals	16 to 45% mafic crystals	46 to 85% mafic crystals	> 85% mafic crystals
INTRUSIVE ORIGIN	Pegmatitic: very coarse-grained	PEGMATITIC GRANITE	PEGMATITIC DIORITE	PEGMATITIC GABBRO	PEGMATITIC PERIDOTITE
	Phaneritic: coarse-grained	GRANITE (SYENITE, if no quartz)	DIORITE	GABBRO	PERIDOTITE
	Phenocrysts ¹ in a phaneritic groundmass	PORPHYRITIC GRANITE	PORPHYRITIC DIORITE	PORPHYRITIC GABBRO	PORPHYRITIC PERIDOTITE
	Phenocrysts ¹ in an aphanitic groundmass	PORPHYRITIC RHYOLITE	PORPHYRITIC ANDESITE	PORPHYRITIC BASALT	Cannot be distinguished from basalt in hand samples (KOMATIITE)
Aphanitic: fine-grained	RHYOLITE	ANDESITE	BASALT		
Glassy	OBSIDIAN				
Vesicular	PUMICE (abundant tiny vesicles—like meringue; very lightweight; white or gray; floats in water)		SCORIA (resembles a sponge)	VESICULAR BASALT (has few scattered vesicles)	
Pyroclastic or Fragmental	VOLCANIC TUFF (fragments ≤ 2 mm)			VOLCANIC BRECCIA (fragments > 2 mm)	

Igneous Rock Classification

A Three Step Process

1) Determine Composition

- ✓ Color Index (plutonic only)
- ✓ Color darkness (volcanic)
- ✓ Mineralogy (observable)

2) Determine Texture

















- ✓ Specific intrusive texture?
- ✓ Specific extrusive texture?

3) Name the Rock


- ✓ Use Flowchart

Practical Use for Rock?

IGNEOUS ROCK ANALYSIS AND CLASSIFICATION

STEP 1 & 2: CI and Mineral Composition		STEP 3: Texture			
FELSIC MINERALS (light-colored)		INTRUSIVE ORIGIN	 Pegmatitic (crystals >1 cm): very slow cooling, viscous magma, and/or good nucleation		
			 Phaneritic (crystals 1–10 mm): slow cooling, viscous magma, and/or good nucleation		
			 Porphyritic (large and small crystals): slow, then rapid cooling and/or change in magma viscosity or composition		
			 Aphanitic (crystals <1 mm): rapid cooling, fluid lava, and/or good nucleation		
MAFIC MINERALS (dark-colored)			EXTRUSIVE (VOLCANIC) ORIGIN	 Glassy rapid cooling and/or very poor nucleation	
				 Vesicular (like meringue): rapid cooling of gas-charged lava	
				 Vesicular (some bubbles): gas bubbles in lava	
				 Pyroclastic or Fragmental: particles emitted from volcanoes	
					Color Index (CI): the percent, by volume, of mafic minerals in a rock. See top of Figure 5.3 and GeoTools sheet 1.

STEP 4: Igneous Rock Classification Flowchart



¹Add *pegmatite* to end of name if crystals are > 1 cm (e.g., granite-pegmatite).

²Add *porphyritic* to front of name when present (e.g., porphyritic granite, porphyritic rhyolite).

³Add *vesicular* to front of name when present (e.g., vesicular basalt).

Igneous Rock Classification

A Three Step Process

1) Determine Texture


- ✓ Specific intrusive texture?
- ✓ Specific extrusive texture?

2) Determine Composition

- ✓ Color Index (plutonic only)
- ✓ Color darkness (volcanic)
- ✓ Mineralogy (observable)

3) Name the Rock

- ✓ Use Flowchart



Practical Use for Rock?

Igneous Rock Identification Procedure

Step 1: Observe and record the rock's **TEXTURE**

- ✓ Pegmatitic
- ✓ Phaneritic
- ✓ Aphanitic
- ✓ Porphyritic
- ✓ Fragmental
- ✓ Others = vesicular or glassy

Step 2: IF *Phaneritic* or *Pegmatitic*- Identify and record the minerals and the volume % of dark minerals = **COLOR INDEX**.

Note: Color index applicable for course-grained rocks ONLY! **OR**


IF *Aphanitic* or *Porphyritic* = no to some observable minerals, then estimate composition by the **OVERALL ROCK COLOR**.

Note: ("light" = felsic/silicic, "medium" = intermediate, and "dark" = mafic).

Step 3: **NAME the ROCK** – based on texture/composition combo



Applications



Granite, Diorite and Gabbro - used for flooring, countertops, walls, steps, cobblestone paving, gravestones, and various landscaping applications

Volcanic Rock - used for various landscaping applications



Igneous Rock References



<http://www.cobweb.net/~bug2/mineral.htm>

<http://www.rockhounds.com/rockshop/rockkey/index.html>

<http://www.union.edu/PUBLIC/GEODEPT/COURSES/geo-10/mineral.htm>

- <http://academic.brooklyn.cuny.edu/geology/grocha/mineral/mineral.html>




Sedimentary Rocks



Origin, Properties and Identification




From: "Earth" by Tarbuck and Lutgens





Intro to Earth Systems
ENVI 110 Lab

Ray Rector - Instructor





Sedimentary Rock Origin and Identification Lab




Pre-Lab Internet Link Resources

1) <http://www.rockhounds.com/rockshop/rockkey/index.html>

2) <http://earthsci.org/education/teacher/basicgeol/sed/sed.html#top>




Major Sedimentary Concepts

- 1) Sedimentary rocks form by depositing, compaction, and cementing of sediment grains, and/or precipitation of crystals from an aqueous solution
 - 2) The type of sedimentary rock formed is controlled by two factors: **1)** type of sediment and **2)** depositional environment
 - 3) The **five primary depositional environments** of sedimentation worldwide are **1)** lakes and river systems, **2)** alluvial fans and deserts, **3)** shorelines, **4)** continental margins (shelves, slopes and rises) , and **5)** deep ocean floor.
 - 4) Source rock, climate, weathering, erosion, and deposition conditions control the nature of the deposited sediments, and hence the types of sedimentary rocks that form at each of the five sedimentary sites described above.
 - 5) Sedimentary rocks formed by cementing of clastic grains are called **detrital** rocks.
 - 6) Sedimentary rocks formed by the precipitation and/or cementing of shell, skeleton, or plant material are called **biochemical** rocks.
 - 7) Sedimentary rocks formed by the precipitation and cementing of material directly from an aqueous solution like seawater are called **chemical** rocks.
 - 8) Identification of sedimentary rocks based on two criteria:
 - ✓ **Texture**
 - ✓ **Composition**
- 

Sedimentary Rocks in The Rock Cycle

Key Points:


- 1) Part of rock cycle involving materials, conditions and processes *at or near Earth's surface*
- 2) Begins with weathering of uplifted, exposed rock
- 3) Continues with the erosion (removal and transportation) of weathered sediment
- 4) Finishes with the deposition and lithification of sediment




The Rock Cycle

Three Primary Rock Types

- 1) **Igneous**
- 2) **Metamorphic**
- 3) **Sedimentary**




Water Cycle = Mother Sedimentary



1) **Agents** = Sun, Water, Air and Gravity

2) **Processes** = Weathering, Erosion and Deposition


Tectonic Environments and Sedimentary Rock Formation



- 1) *Source regions* for sediments are primarily convergent plate boundaries
- 2) *Depositional sites* for sediments are primarily the edges of ocean basins

Sedimentary Environments Where Sedimentary Rocks Form

MULTIPLE FACTORS INTERACT TO CREATE SEDIMENTARY ENVIRONMENTS



Predominant Sediment Clast Types at Specific Depositional Settings



Gravel-size



Sand-size





Silt-size




Clay-size

Clast Size



SEDIMENTARY ROCK MODELS

*SIMPLE
IDEAL MODEL
FOR THE EVOLUTION OF
SEDIMENTARY ROCKS*



L.S. Fichter, 1993, 2000

<http://geollab.jmu.edu/Fichter/SedRz/sedclass.html>

Sediment Clast Types

Clast Size



Gravel-size



Sand-size




Silt-size



Clay-size


Clast Shape



Near-to-source


Far-from-source

Clast Sorting



- 1) **Clast size** is a function of transport time and medium
 - ✓ An indicator of depositional environment
- 2) **Clast shape** is a function of transport distance and time
 - ✓ An indicator of sediment “maturity”
- 3) **Clast sorting** is a function of transport medium
 - ✓ An indicator of depositional environment


Four Fundamental Components of Sedimentary Rocks



LBR 6/2002

Sediment Composition Classification

Three Most Common Sediment Types Forming Sedimentary Rock



Sediments Type Chart

Sediment Mineral Types

- ✓ Quartz Silts & Sands
- ✓ Clays
- ✓ Carbonates


Sediment Rock Types

- ✓ Siltstone, Sandstone & Chert
- ✓ Shales & Mudstones
- ✓ Limestones & Dolostones

Three Major Groups of Sedimentary Rocks

1) Siliciclastic

- ✓ Breccia and Conglomerate
- ✓ Sandstone
- ✓ Siltstone
- ✓ Shale



2) Biochemical

- ✓ Limestone and Coal
- ✓ Biogenic origin
- ✓ Clastic and Crystalline

3) Chemical

- ✓ Chert, Rock Salt, and Gypsum
- ✓ Inorganic origin
- ✓ Crystalline

CHEMICAL ROCKS	BIOCHEMICAL ROCKS
← CARBONATE ROCKS →	
Oolitic rocks Intraclast rocks Dolomite (Dolostone)	Micrites Fossiliferous rocks Pelletal rocks Chalk
Other Chemical Rocks Chert Rock Salt (Halite) Gypsum	Other Biochemical Rocks Peat and Coal

Breccia Texture:

- ✓ Very coarse-grained
- ✓ Angular fragments
- ✓ Deposits close to source region



Conglomerate Texture:

- ✓ Very coarse-grained
- ✓ Rounded Fragments
- ✓ Deposits far from source region



Sandstone Texture:

- ✓ Coarse to medium-grained
- ✓ Mostly quartz and feldspar
- ✓ Deposits in moving waters



Siltstone texture:

- ✓ Fine-grained = silt-sized
- ✓ Mostly quartz and feldspar
- ✓ Deposits in fairly quiet waters




Shale Texture:

- ✓ Very fine-grained = clay-sized
- ✓ Mostly clay
- ✓ Deposits in very quiet waters



Sedimentary Detrital Rock Textures

Phi Units*	Size	Wentworth Size Class	Sediment/Rock Name
-8	256 mm	Boulders	Sediment: GRAVEL Rock: RUDITES: (conglomerates, breccias)
-6	64 mm	Cobbles	
-2	4 mm	Pebbles	
-1	2 mm	Granules	
0	1 mm	Very Coarse Sand	Sediment: SAND Rocks: SANDSTONES (arenites, wackes)
1	1/2 mm	Coarse Sand	
2	1/4 mm	Medium Sand	
3	1/8 mm	Fine Sand	Sediment: MUD Rocks: LUTITES (mudrocks)
4	1/16 mm	Very Fine Sand	
8	1/256 mm	Silt	
		Clay	



Sedimentary (Bio)Chemical Textures

Clastic and Crystalline

Sparite Texture:

- ✓ Coarse-grained crystalline
- ✓ Carbonate minerals
- ✓ Halite and Gypsum
- ✓ With or without fossils



Micrite Texture:

- ✓ Fine-grained crystalline
- ✓ Carbonate minerals
- ✓ With or without fossils



Coquina Texture:

- ✓ Coarse-grained
- ✓ Mostly shell material
- ✓ Carbonate minerals



Fossiliferous Texture:

- ✓ Abundant fossils
- ✓ Either crystalline or clastic groundmass
- ✓ Usually carbonate rich



Microcrystalline texture:

- ✓ Extremely fine-grained
- ✓ Smooth, massive looking
- ✓ Deposits in quiet waters
- ✓ Chert and Travertine



Sedimentary Rock Structures



Mud Cracks



Ripple Marks



Cross Bedding



Graded Bedding



Layering



Bioturbation

Photographie : Pierre Thomas

Sedimentary Rock Classification

A Three Step Process

1) Find Rock Composition

- ✓ Detrital? Crystalline?
- ✓ Mineralogy?

2) Find Texture

- ✓ Grain size?
- ✓ Shape?
- ✓ Fossils?


3) Name the Rock

SEDIMENTARY ROCK ANALYSIS AND CLASSIFICATION						
STEP 1: What is the rock's composition?		STEP 2: What are the rock's textural and other distinctive properties?		STEP 3: Rock Name(s)		
DETRITAL (CLASTIC)	Mainly rock fragments or mineral grains (quartz, feldspar, clay) weathered from other rocks	Mainly gravel (≥ 2 mm)	Rounded grains	CONGLOMERATE		
			Angular grains	BRECCIA		
		Mainly sand (1/16 – 2 mm)	Mostly quartz grains	QUARTZ SANDSTONE		SANDSTONE
			Mainly feldspar and quartz	ARKOSE		
			Sand is mixed with much silt and/or clay (mud)	GRAYWACKE		
		Mainly Mud (< 1/16 mm)	Mostly silt (1/256 – 1/16 mm)	Breaks into blocks or layers	SILTSTONE	
Crumbles or breaks into blocks	CLAYSTONE					
Mostly clay (< 1/256 mm)	Fissile (splits easily)		SHALE			
BIOCHEMICAL: Mainly fossil shells or plant fragments	Mainly plant fragments or charcoal	Dull brown with visible plant fragments	Porous and easy to break apart the plant fragments	PEAT		
		Black	Dense and brittle or porous and sooty	BITUMINOUS COAL		
BIOCHEMICAL: Mainly fossil shells, shell fragments, or microfossils	Mainly fossil shells, shell fragments, or microfossils Effervesces in dilute HCl	Mostly visible shells and shell fragments cemented into a dense mass		CALCIRUDITE		
		Mostly sand-sized fragments. May have a few larger shells.		CALCARENITE		
		Mostly very fine grained to microcrystalline mass of calcite and microfossils		MICRITE		
		Porous, poorly cemented mass of shells and shell fragments		COQUINA		
		Mostly very fine grained, earthy, chalky, light-colored mass of microfossils		CHALK		
CHEMICAL (INORGNIC): Chemically precipitated crystals	Mainly crystals of calcite or aragonite, CaCO_3 Effervesces in dilute HCl	Crystalline to microcrystalline bands of calcite crystals		TRAVERTINE		
		Spherical grains like tiny beads (< 2 mm) with concentric laminations		OOLITIC LIMESTONE		
	Mainly dolomite $\text{CaMg}(\text{CO}_3)_2$	Microcrystalline	Effervesces in dilute HCl only if powdered	DOLOSTONE		
	Mainly varieties of quartz, SiO_2 (chalcedony, flint, chert, opal, jasper, etc.)	Microcrystalline, conchoidal fracture	Scratches glass	CHERT		
	Mainly halite, NaCl	Crystals formed as inorganic chemical precipitates	Salty taste	ROCK SALT		
	Mainly gypsum, $\text{CaSO}_4 \cdot 2\text{H}_2\text{O}$	Crystals formed as inorganic chemical precipitates	Can be scratched with your fingernail	ROCK GYPSUM		
	Mostly iron-bearing minerals, like limonite and hematite	Amorphous or microcrystalline	Dark-colored, usually brown or red-gray	IRONSTONE		

Discussion and Examination



Sediments and Sedimentary Rocks




<http://www.cobweb.net/~bug2/mineral.htm>

<http://www.rockhounds.com/rockshop/rockkey/index.html>



<http://www.union.edu/PUBLIC/GEODEPT/COURSES/geo-10/mineral.htm>

Metamorphic Rock Origin and Identification



Intro to Earth Systems
ENVI 110 Lab

Ray Rector - Instructor




<http://www.rockhounds.com/rockshop/rockkey/index.html>

<http://earthsci.org/education/teacher/basicgeol/meta/meta.html>

<http://csmres.jmu.edu/geollab/Fichter/MetaRx/Metaalphab.html>


Major Concepts

- 1) Metamorphic rocks form by recrystallization and/or neocrystallization of preexisting rock (parent rock) in the solid state.
 - 2) Most cases of metamorphism occur at or near tectonic plate boundaries.
 - 3) Agents of metamorphism include heat, pressure, reactive fluids, and stress.
 - 4) Two metamorphic processes are recrystallization and neocrystallization.
 - 5) Three major types of metamorphism is regional, contact and dynamic.
 - 6) The two primary criteria for classifying and identifying metamorphic rocks are composition (mineralogy) and texture (grain size and grain orientation).
 - 7) Two major metamorphic rock groups are 1) foliated and 2) nonfoliated.
 - 8) Metamorphic rock composition controlled by parent rock composition.
 - 9) Texture controlled by combination of metamorphic agents (foliated includes stress; nonfoliated no stress involved).
 - 10) Slate, phyllite, schist and gneiss are the foliated metamorphic rocks.
 - 11) Marble, quartzite, hornfels, and granofels are the nonfoliated meta rocks.
- 

The Rock Cycle

Three Primary Rock Types


- 1) **Igneous**
- 2) **Metamorphic**
- 3) **Sedimentary**




Focus of this presentation is on Metamorphic Rocks

Three Primary Rock Types

- 1) **Igneous**
- 2) **Metamorphic**
- 3) **Sedimentary**




Heat + Pressure = Mother Metamorphic



Hot Chemically-Reactive Fluids and Tectonic Stresses Too!

Environments for Metamorphism



Vast majority of metamorphism takes place at plate boundaries – Why?

- 1) Heat
- 2) Elevated Pressure
- 3) Magma and Hot Fluids
- 4) Tectonic Stresses

Tectonic Settings and Types of Metamorphism

Tectonic Settings of Metamorphism

- 1) All types of plate boundaries
- 2) Hot spots
- 3) Any other region undergoing mountain building and/or magmatic activity

Types of Metamorphism

1) Regional Metamorphism (RM)


- ✓ Due to deep burial
- ✓ From Low T + Low P to High T + High P

2) Contact Metamorphism (CM)

- ✓ Caused by close proximity to magma and/or very hot fluids
- ✓ From High T + Low P to High T + High P

3) Dynamic Metamorphism (DM)


- ✓ Caused by shearing forces in active fault zones
- ✓ From Low T + Low P to Mod T + Mod P



Metamorphic Processes and Grade

1) Deep Burial = Pressure + Heat + Tectonic Stresses

- ✓ Process termed **Regional Metamorphism**
- ✓ Metamorphic conditions = Low to High grade
- ✓ Produces foliated textures
- ✓ Slates, schist, and gneisses



2) Magma Contact = High Heat + Fluids

- ✓ Process termed **Contact Metamorphism**
- ✓ Metamorphic conditions = Low to High grade
- ✓ Produces non-foliated textures
- ✓ Quartzite, Marble, and Hornfels

Metamorphic Grade		
Parent	Low Grade	High Grade
Limestone	Marble	Marble
Sandstone	Quartzite	Quartzite
Shale	Slate	Schist
Granite	-----	Schist
Basalt	Greenschist	Amphibolite





Metamorphic Grade and Mineral Facies

Temperature-Pressure Chart

The Facies Concept

- 1) The presence of a Key Mineral in a metamorphic rock indicates a unique set of Temperature-Pressure conditions
- 2) A specific range of temperature-pressure values constitutes a given Metamorphic Facies
- 3) Each Metamorphic Facies is associated with a unique tectonic setting
- 4) Low-grade metamorphism occurs at low temperatures and pressures
- 5) High-grade metamorphism occurs at high temperatures and pressures












Metamorphic Rock Classification

Original Rock	Texture	Rock Name	Metamorphic Process	Metamorphic Grade	Comments
mudstone	Foliated	slate	regional	lower	breaks into plates (slaty cleavage)
mudstone	Foliated	phyllite	regional	moderate	more shiny and crenulated than slate
mudstone	Foliated	schist	regional	mod-high	different schists recognized on the basis of mineral content
mudstone granite	Foliated	gneiss	regional	high	well-developed light and dark banding
quartz sandstone	Non-foliated	quartzite	contact	low-high	sugary texture composed of interlocking quartz grains; relatively hard; won't fizz with acid
limestone	Non-foliated	marble	contact	low-high	sugary texture composed of interlocking calcite grains; relatively soft; may fizz with acid
basalt	Non-foliated	metabasalt	contact	low	greenish color due to chlorite

Metamorphic rocks are classified according to several criteria:

- 1) Origin = parent rock
- 2) Texture-Fabric
- 3) Composition-Mineralogy
- 4) Metamorphic process
- 5) Grade of metamorphism

Parent Rock → Metamorphic Rock Pairs



Parent	Grd	Rock	Foliation	Comments
Shale	Low	 Slate	cleavage	v fine
	↓	 Phyllite	cleavage	'sheen' from fine mica
		 Schist	schistosity	mica coarse/visible
		Hi	 Gneiss	banding
Basalt	Med	 Green schist	schistosity	green chlorite
	↓	 Ampholite	Banding	black amphibole
		Hi	 Blue-schist	schistosity
Lime-stone	All	 Marble	None/ Banding	Calcite dominates minors give color
Sand-stone	All	 Quartzite	None	Quartz dominates minors give color



Metamorphic Rock Classification

Texture	Rock name	Metamorphism		Dominant mineral composition	Original rock	
		dominant kind	degree			
Foliated	fine grained	Slate	regional	low grade	clay chlorite	shale
	"shiny smooth" "layered"					
	coarse grained	Schist	regional	high grade	quartz amphibole	shale
	"banded" "layered"					
Nonfoliated	fine grained	Hornfels	contact			shale
	coarse grained	reaction no reaction with HCl	Quartzite	contact or regional		quartz sandstone
		reaction with HCl	Marble	contact or regional		calcite


Common Metamorphic Rocks In Hand Samples



Foliated Metamorphic Textures

Slaty

- ✓ Foliated = Flat, tight-layered sheets
- ✓ Very Fine Grained
- ✓ Little to minerals observable



Red Slate



Close-Up

Phyllitic

- ✓ Foliated = Mildly wavy, sheets
- ✓ Fine-grained
- ✓ Sheen-like luster = mica minerals



Mica Schist




Close-Up

Schistose

- ✓ Foliated = wavy, flaky layers
- ✓ Medium to course grained
- ✓ Observable mineralogy
- ✓ Lots of mica and quartz



Garnet Gneiss





Close-Up


Gneissic

- ✓ Foliated = dark and light mineral bands
- ✓ Medium to course grained
- ✓ Observable mineralogy
- ✓ Quartz, feldspar, biotite, and amphibole

Foliated Metamorphic Textures



Foliated Textures



- 1) Foliated textures result from deviatoric tectonic stresses
- 2) The type of foliated rock fabric is a function of metamorphic grade
 - ✓ Foliation character changes with intensity and duration of metamorphism
- 3) The type of foliated rock fabric is also a function of rock composition

Non-Foliated Metamorphic Textures

Microgranular

- ✓ Crystalline
- ✓ Nonfoliated = Equant-shaped grains
- ✓ Very fine- to fine-grained
- ✓ Massive-looking rock
- ✓ Little to no minerals observable
- ✓ Example = Hornfels



Hornfels

Macrogranular

- ✓ Crystalline
- ✓ Nonfoliated = Equant-shaped grains
- ✓ Medium to coarse-grained
- ✓ Massive-looking rock
- ✓ Identifiable minerals
- ✓ Example: Marble




Granular Fabric



Marble

Metamorphism of Parent Rocks

Textural Changes in Mono-Minerallic Metamorphism



Quartz-rich Rocks

Calcite-rich Rocks

- ✓ Mono-minerallic rocks are typically non-foliated.
- ✓ Texture described as “polygonal granular”


Most Common Types of Metamorphic Rocks

Questions:

- 1) Which are foliated?
- 2) Which are nonfoliated?
- 3) Which are monomineralic?
- 4) Which are high grade?
- 5) Which are low grade?
- 6) Which looks mica-rich?
- 7) Which are hard?
- 8) Which are soft?




Common Metamorphic Rocks In Hand Samples




Common Metamorphic Rocks Under a Microscope




Slate



Phyllite




Schist




Gneiss




Amphibolite




Hornfels



Quartzite



Marble



Serpentinite

Metamorphic Rock Classification

A Three Step Process

1) Determine Texture

- ✓ Foliated or Nonfoliated?
- ✓ Type of foliation?
- ✓ Grain size?

Scheme for Metamorphic Rock Identification

TEXTURE		GRAIN SIZE	COMPOSITION	TYPE OF METAMORPHISM	COMMENTS	ROCK NAME	MAP SYMBOL
FOLIATED	MINERAL ALIGNMENT	Fine	MICA QUARTZ FELDSPAR AMPHIBOLE GARNET PYROXENE	Regional (Heat and pressure increase with depth) ↓	Low-grade metamorphism of shale	Slate	
		Fine to medium			Foliation surfaces shiny from microscopic mica crystals	Phyllite	
	BANDING	Medium to coarse			Platy mica crystals visible from metamorphism of clay or feldspars	Schist	
					High-grade metamorphism; some mica changed to feldspar; segregated by mineral type into bands	Gneiss	
NONFOLIATED	Fine	Variable	Contact (Heat)	Various rocks changed by heat from nearby magma/lava	Hornfels		
	Fine to coarse	Quartz	Regional or Contact	Metamorphism of quartz sandstone	Quartzite		
		Calcite and/or dolomite		Metamorphism of limestone or dolostone	Marble		
	Coarse	Various minerals in particles and matrix		Pebbles may be distorted or stretched	Metaconglomerate		

2) Determine Composition


- ✓ Mineralogy?

3) Name the Meta Rock and its Parent Rock



Classification of Metamorphic Rocks

Key to Common Metamorphic Rocks



¹ (Shale), slate, and phyllite complete intergrade with each other. Distinctions may be difficult.

² Soapstone may be weakly foliated.

Metamorphic Rocks

Discussion and Examination



© Rolf Stange - www.spitzbergen.de

Next Week's Lab Topics

Isostasy and Plate Tectonics

- Definitions and Concepts
- Ocean and Continental Crustal Densities
- Modeling Isostasy
- Isostatic Equilibrium and Adjustment

Pre-lab Checklist

- Reader: Lab 2 – Isostasy and Plate Tectonics
- Chapter in Lab Manual
- Do the Pre-lab Activities and Quiz BEFORE lab

Bring Lab Reader to class

GeoTime Scale Quiz Next Week too!!!!