




Sedimentary Rocks



Origin, Properties and Identification




From: "Earth" by Tarbuck and Lutgens





Geology Laboratory
GEOL 101 Lab

Ray Rector - Instructor



Sedimentary Rock Origin and Identification Lab



Pre-Lab Internet Link Resources

1) <http://www.rockhounds.com/rockshop/rockkey/index.html>

2) <http://earthsci.org/education/teacher/basicgeol/sed/sed.html#top>


Major Sedimentary Concepts

- 1) Sedimentary rocks form by depositing, compaction, and cementing of sediment grains, and/or precipitation of crystals from an aqueous solution
- 2) The type of sedimentary rock formed is controlled by two factors: **1)** type of sediment and **2)** depositional environment
- 3) The **five primary depositional environments** of sedimentation worldwide are **1)** lakes and river systems, **2)** alluvial fans and deserts, **3)** shorelines, **4)** continental margins (shelves, slopes and rises) , and **5)** deep ocean floor.
- 4) Source rock, climate, weathering, erosion, and deposition conditions control the nature of the deposited sediments, and hence the types of sedimentary rocks that form at each of the five sedimentary sites described above.
- 5) Sedimentary rocks formed by cementing of clastic grains are called **detrital** rocks.
- 6) Sedimentary rocks formed by the precipitation and/or cementing of shell, skeleton, or plant material are called **biochemical** rocks.
- 7) Sedimentary rocks formed by the precipitation and cementing of material directly from an aqueous solution like seawater are called **chemical** rocks.
- 8) Identification of sedimentary rocks based on two criteria:
 - ✓ **Texture**
 - ✓ **Composition**

Sedimentary Rocks in The Rock Cycle


Key Points:

- 1) Part of rock cycle involving materials, conditions and processes *at or near Earth's surface*
- 2) Begins with weathering of uplifted, exposed rock
- 3) Continues with the erosion (removal and transportation) of weathered sediment
- 4) Finishes with the deposition and lithification of sediment



The Rock Cycle


Water Cycle = Mother Sedimentary



1) **Agents** = Sun, Water, Air and Gravity

2) **Processes** = Weathering, Erosion and Deposition


Tectonic Environments and Sedimentary Rock Formation




- 1) *Source regions* for sediments are primarily convergent plate boundaries
- 2) *Depositional sites* for sediments are primarily the edges of ocean basins

Sedimentary Environments Where Sedimentary Rocks Form

MULTIPLE FACTORS INTERACT TO CREATE SEDIMENTARY ENVIRONMENTS



Predominant Sediment Clast Types at Specific Depositional Settings



Gravel-size



Sand-size





Silt-size



Clay-size


Clast Size



Origin of Sedimentary Rocks


Sedimentary rocks generated by a sequence of surface processes including the following: weathering, erosion, transport, deposition, burial, compaction, cementation and lithification.

The weathering, erosion, and mineral precipitation processes produce an abundance of quartz, clay and carbonate sediments, which ultimately form three major types of sedimentary rocks.



Sediment Composition Classification

Three Most Common Sediment Types Forming Sedimentary Rock



Sediments Type Chart


Sediment Mineral Types

- ✓ Quartz Silts & Sands
- ✓ Clays
- ✓ Carbonates

Sediment Rock Types

- ✓ Siltstone, Sandstone & Chert
- ✓ Shales & Mudstones
- ✓ Limestones & Dolostones

Four Fundamental Components of Sedimentary Rocks




LBR 6/2002

Three Major Groups of Sedimentary Rocks

1) Siliciclastic

- ✓ Breccia and Conglomerate
- ✓ Sandstone
- ✓ Siltstone
- ✓ Shale



2) Biochemical

- ✓ Limestone and Coal
- ✓ Biogenic origin
- ✓ Clastic and Crystalline

3) Chemical

- ✓ Chert, Rock Salt, and Gypsum
- ✓ Inorganic origin
- ✓ Crystalline

CHEMICAL ROCKS	BIOCHEMICAL ROCKS
← CARBONATE ROCKS →	
Oolitic rocks Intraclast rocks Dolomite (Dolostone)	Micrites Fossiliferous rocks Pelletal rocks Chalk
Other Chemical Rocks Chert Rock Salt (Halite) Gypsum	Other Biochemical Rocks Peat and Coal

Sediment Clast Types

Clast Size



Gravel-size



Sand-size




Silt-size



Clay-size


Clast Shape



Near-to-source

Far-from-source

Clast Sorting



- 1) **Clast size** is a function of transport time and medium
 - ✓ An indicator of depositional environment
- 2) **Clast shape** is a function of transport distance and time
 - ✓ An indicator of sediment “maturity”
- 3) **Clast sorting** is a function of transport medium
 - ✓ An indicator of depositional environment

Breccia Texture:

- ✓ Very coarse-grained
- ✓ Angular fragments
- ✓ Deposits close to source region



Conglomerate Texture:

- ✓ Very coarse-grained
- ✓ Rounded Fragments
- ✓ Deposits far from source region



Sandstone Texture:

- ✓ Coarse to medium-grained
- ✓ Mostly quartz and feldspar
- ✓ Deposits in moving waters



Siltstone texture:

- ✓ Fine-grained = silt-sized
- ✓ Mostly quartz and feldspar
- ✓ Deposits in fairly quiet waters



Shale Texture:


- ✓ Very fine-grained = clay-sized
- ✓ Mostly clay
- ✓ Deposits in very quiet waters



Sedimentary Detrital Rock Textures

Phi Units* Size Wentworth Size Class Sediment/Rock Name

-8	256 mm	Boulders	Sediment: GRAVEL
-6	64 mm	Cobbles	
-2	4 mm	Pebbles	
-1	2 mm	Granules	
0	1 mm	Very Coarse Sand	Sediment: SAND
1	1/2 mm	Coarse Sand	
2	1/4 mm	Medium Sand	
3	1/8 mm	Fine Sand	
4	1/16 mm	Very Fine Sand	Rocks: SANDSTONES (arenites, wackes)
8	1/256 mm	Silt	
		Clay	
			Sediment: MUD
			Rocks: LUTITES (mudrocks)



Sparite Texture:

- ✓ Coarse-grained crystalline
- ✓ Carbonate minerals
- ✓ Halite and Gypsum
- ✓ With or without fossils



Micrite Texture:

- ✓ Fine-grained crystalline
- ✓ Carbonate minerals
- ✓ With or without fossils



Coquina Texture:

- ✓ Coarse-grained
- ✓ Mostly shell material
- ✓ Carbonate minerals



Microcrystalline texture:

- ✓ Extremely fine-grained
- ✓ Smooth, massive looking
- ✓ Deposits in quiet waters
- ✓ Chert and Travertine



Sedimentary (Bio)Chemical Textures

Clastic and Crystalline

Fossiliferous Texture:

- ✓ Abundant fossils
- ✓ Either crystalline or clastic groundmass
- ✓ Usually carbonate rich



Sedimentary Rock Structures




Mud Cracks



Ripple Marks



Cross Bedding



Graded Bedding



Layering



Bioturbation

Photographie : Pierre Thomas

Sedimentary Rock Classification

A Three Step Process

1) Find Texture

- ✓ Detrital? Crystalline
- ✓ Grain size?
- ✓ Shape?
- ✓ Fossils?

2) Find Rock Composition

- ✓ Mineralogy?


3) Name the Rock

SEDIMENTARY ROCK ANALYSIS AND CLASSIFICATION						
STEP 1: What is the rock's composition?		STEP 2: What are the rock's textural and other distinctive properties?		STEP 3: Rock Name(s)		
DETRITAL (CLASTIC)	Mainly rock fragments or mineral grains (quartz, feldspar, clay) weathered from other rocks	Mainly gravel (≥ 2 mm)	Rounded grains	CONGLOMERATE		
			Angular grains	BRECCIA		
		Mainly sand (1/16 – 2 mm)	Mostly quartz grains	QUARTZ SANDSTONE		SANDSTONE
			Mainly feldspar and quartz	ARKOSE		
			Sand is mixed with much silt and/or clay (mud)	GRAYWACKE		
		Mainly Mud (< 1/16 mm)	Mostly silt (1/256 – 1/16 mm)	Breaks into blocks or layers	SILTSTONE	
Crumbles or breaks into blocks	CLAYSTONE					
Mostly clay (< 1/256 mm)	Fissile (splits easily)		SHALE			
BIOCHEMICAL: Mainly fossil shells or plant fragments	Mainly plant fragments or charcoal	Dull brown with visible plant fragments	Porous and easy to break apart the plant fragments	PEAT		
		Black	Dense and brittle or porous and sooty	BITUMINOUS COAL		
BIOCHEMICAL: Mainly fossil shells, shell fragments, or microfossils	Effervesces in dilute HCl	Mostly visible shells and shell fragments cemented into a dense mass		CALCIFERROUS LIME		
		Mostly sand-sized fragments. May have a few larger shells.		CALCARENITE		
		Mostly very fine grained to microcrystalline mass of calcite and microfossils		MICRITE		
		Porous, poorly cemented mass of shells and shell fragments		COQUINA		
		Mostly very fine grained, earthy, chalky, light-colored mass of microfossils		CHALK		
CHEMICAL (INORGANIC): Chemically precipitated crystals	Mainly crystals of calcite or aragonite, CaCO_3	Crystalline to microcrystalline bands of calcite crystals		TRAVERTINE		
		Spherical grains like tiny beads (< 2 mm) with concentric laminations		OOLITIC LIMESTONE		
CHEMICAL (INORGANIC): Chemically precipitated crystals	Mainly dolomite $\text{CaMg}(\text{CO}_3)_2$	Microcrystalline	Effervesces in dilute HCl only if powdered	DOLOSTONE		
	Mainly varieties of quartz, SiO_2 (chalcedony, flint, chert, opal, jasper, etc.)	Microcrystalline, conchoidal fracture	Scratches glass	CHERT		
	Mainly halite, NaCl	Crystals formed as inorganic chemical precipitates	Salty taste	ROCK SALT		
	Mainly gypsum, $\text{CaSO}_4 \cdot 2\text{H}_2\text{O}$	Crystals formed as inorganic chemical precipitates	Can be scratched with your fingernail	ROCK GYPSUM		
	Mostly iron-bearing minerals, like limonite and hematite	Amorphous or microcrystalline	Dark-colored, usually brown or red-gray	IRONSTONE		

Discussion and Examination



Sediments and Sedimentary Rocks



<http://www.cobweb.net/~bug2/mineral.htm>

<http://www.rockhounds.com/rockshop/rockkey/index.html>

<http://www.union.edu/PUBLIC/GEODEPT/COURSES/geo-10/mineral.htm>