



# Topographic Maps and Landforms



Geology Lab

Ray Rector: Instructor

A vertical strip on the left side of the slide shows a topographic map with brown contour lines and a yellow profile line. The map depicts a mountain range with a valley. The profile line starts at the bottom left, goes up a slope, across a peak, down another slope, and then across a valley floor.

# Today's Lab Activities

- 1) Discussion of Last Week's Lab
- 2) Lecture on Topo Maps and Elevation Contours
- 3) Construct Topographic Maps and Profiles
- 4) Analyze Topographic Maps of Yosemite Valley
- 5) Prepare for Next Week's Lab

## Recommended Pre-Lab Web Activities

- 1) [Visualizing Earth's Topography](#)
- 2) [Understanding Topographic Maps](#)
- 3) [Making a Simple Contour Map](#)

A vertical strip on the left side of the slide shows a portion of a topographic map. It features brown contour lines, a yellow vertical line, and a red horizontal line, set against a background of green and brown terrain.

# Purpose of Today's Lab

- 1) Become familiar with the fundamentals of topographic maps and landforms
- 2) Preparation for next week's lab on Structural Geology and Using and Making Geologic Maps

## Learning Outcomes

**When you are finished today, you should be able to:**

- 1) familiar the concepts of scale, location (latitude and longitude), elevations, depths and contour lines.
- 2) identify the type, shape, and steepness of landforms
- 3) create a simple contour map from elevation point data
- 4) draw a cross-section profile

# Many Types of Maps

1) Topographic Maps

2) Bathymetry Maps

3) Nautical Charts

4) Geology Maps

5) Road Maps

6) Political Maps

7) Climate Maps

8) Ecosystem Maps

Surface Height Maps





# What is a Topographic Map?

- 1) An abstract, 2-dimensional, scaled-down graphic representation of the shape of the land.
- 2) “Topo” maps illustrate location, scale, width, length, and height of land surfaces.
- 3) Elevations of land surface are symbolized by contour lines which signify lines of equal elevation (termed isopleths).
- 4) Topo maps also show other features like rivers, streams, trails, roads, and buildings.

**Next:**

Let's compare a “Topo” map to a Bathymetric Chart ?

# A Topographic Map Images the Ground



Image U.S. Geological Survey

Image © 2011 DigitalGlobe


Data SIO, NOAA, U.S. Navy, NGA, GEBCO

lat: 47.423757, lon: -122.972365, elev: 166 ft

Google earth

Eye alt: 67.78 mi

# Example of a Topographic Map



4473-221-1225

1:25 000-scale metric topographic map of **Mount Marcy NEW YORK**



7.5 X 15 MINUTE QUADRANGLE

SHOWING

- Contours and elevations in meters
- Highways, roads and other manmade structures
- Water features
- Woodland areas
- Geographic names



1979

Produced by the United States Geological Survey  
Controlled by International Geographical Names Board  
Geological Survey, Reston, Virginia 20192  
Map scale 1:25,000

Projection and 1983 datum grid, zone 18, Universal Transverse Mercator  
1:25,000-scale grid ticks based on New York coordinate system, zone 18, 1983 North American Datum  
The data on this map are based on the U.S. Geological Survey 1983 7.5-minute quadrangle series. The 1983 datum is used throughout the map.  
There may be persons holding rights in the boundary of the area shown herein or in this map.  
This area also covered by U.S. Geological Survey 7.5-minute topographic map.

**CONTOUR INTERVAL: 30 METERS**  
**VERTICAL DATUM: MEANS DATUM OF 1983**  
**CONTOUR INTERVALS: 15 METERS**  
**CONTOUR INTERVALS: 15 METERS**

THIS MAP COMPLETES WITH NATIONAL MAP ACCURACY ESTIMATES

CONTOUR COLOR	RELATIONSHIP	CONTOUR INTERVAL	CONTOUR THICKNESS
Red	1000	30	2
Orange	500	30	2
Yellow	200	30	2
Green	100	30	2
Blue	50	30	2
Pink	25	30	2
Brown	10	30	2
Black	5	30	2
Grey	2.5	30	2
White	1	30	2

**FOR SALE BY U.S. GEOLOGICAL SURVEY**  
**RESTON, VIRGINIA 20192**

### Topographic Map Symbols

Symbol	Description
.....	Private highway, 1st or 2nd class
.....	Unimproved highway, 1st or 2nd class
.....	Unimproved city, village, or town
.....	Unimproved road, 1st or 2nd class
.....	Unimproved road, 3rd or 4th class
.....	Unimproved road, 5th or 6th class
.....	Unimproved road, 7th or 8th class
.....	Unimproved road, 9th or 10th class
.....	Unimproved road, 11th or 12th class
.....	Unimproved road, 13th or 14th class
.....	Unimproved road, 15th or 16th class
.....	Unimproved road, 17th or 18th class
.....	Unimproved road, 19th or 20th class
.....	Unimproved road, 21st or 22nd class
.....	Unimproved road, 23rd or 24th class
.....	Unimproved road, 25th or 26th class
.....	Unimproved road, 27th or 28th class
.....	Unimproved road, 29th or 30th class
.....	Unimproved road, 31st or 32nd class
.....	Unimproved road, 33rd or 34th class
.....	Unimproved road, 35th or 36th class
.....	Unimproved road, 37th or 38th class
.....	Unimproved road, 39th or 40th class
.....	Unimproved road, 41st or 42nd class
.....	Unimproved road, 43rd or 44th class
.....	Unimproved road, 45th or 46th class
.....	Unimproved road, 47th or 48th class
.....	Unimproved road, 49th or 50th class
.....	Unimproved road, 51st or 52nd class
.....	Unimproved road, 53rd or 54th class
.....	Unimproved road, 55th or 56th class
.....	Unimproved road, 57th or 58th class
.....	Unimproved road, 59th or 60th class
.....	Unimproved road, 61st or 62nd class
.....	Unimproved road, 63rd or 64th class
.....	Unimproved road, 65th or 66th class
.....	Unimproved road, 67th or 68th class
.....	Unimproved road, 69th or 70th class
.....	Unimproved road, 71st or 72nd class
.....	Unimproved road, 73rd or 74th class
.....	Unimproved road, 75th or 76th class
.....	Unimproved road, 77th or 78th class
.....	Unimproved road, 79th or 80th class
.....	Unimproved road, 81st or 82nd class
.....	Unimproved road, 83rd or 84th class
.....	Unimproved road, 85th or 86th class
.....	Unimproved road, 87th or 88th class
.....	Unimproved road, 89th or 90th class
.....	Unimproved road, 91st or 92nd class
.....	Unimproved road, 93rd or 94th class
.....	Unimproved road, 95th or 96th class
.....	Unimproved road, 97th or 98th class
.....	Unimproved road, 99th or 100th class

# Example of a Orthoquad Map







# Importance of Topographic Maps to Geologists and Geographers

- 1) Navigation and Orienteering
- 2) Geologic Studies – Geologic Mapping and Sampling
- 3) Geographic Studies
- 4) Engineering Projects




# Key Concepts of Topographic Maps

- 1) Map Projection
- 2) Compass Directions – N-S, E-W
- 3) Location – Longitude-Latitude and UTM
- 4) Map Scale – Fractional, Verbal and Bar
- 5) Magnetic Declination
- 6) Map Series / Map Name
- 7) Map Symbols
- 8) Elevation Contour Lines


# Map Projections

## 1) Transferring a Curved Surface to a Flat Surface


- Cannot avoid distortion
- Numerous methods
- Each method has a specific type of distortion
- Each method preserves a correct aspect of the earth's surface




*Mercator Projection*



*Gall-Peters Projection*



*Miller Cylindrical Projection*




*Mollweide Projection*



*Goode's Homolosine Equal-area Projection*



*Sinusoidal Equal-Area Projection*




*Robinson Projection*

# Map Projections

## 1) Transferring a Curved Surface to a Flat Surface


- Cannot avoid distortion
- Numerous methods
- Each method has a specific type of distortion
- Each method preserves a correct aspect of the earth's surface



# Various Map Projections


## 1) Preserve Direction/Angle

- Directions preserved
- Area is distorted
- Example is Mercator
- Popular projection



## 2) Preserve Area-Shape

- Preserves area size and shape
- Direction/angle is distorted
- Example is Albers
- Less popular projection



# Geographic Orientation of Maps

## 1) Compass direction of maps:


- True North points toward Top
- Due South points toward Bottom
- Due East points to the Right
- Due West points to the Left



## 2) Note that a compass points to Magnetic North

- Magnetic declination information should be found in the map legend

# Magnetic Declination on Topo Map



➤ Magnetic declination information should be found in the map legend




✓ ★ = true north

✓ MN = magnetic north

✓ GN = grid north

# Finding One's Position on the Earth's Surface

## Latitude and Longitude: A Global Coordinate System





Lines of Latitude: N – S Position

### Latitude:

- ✓ Equator =  $0^\circ$
- ✓ Poles =  $90^\circ$  N and S

### Longitude:

- ✓ Prime Meridian =  $0^\circ$
- ✓ IDL =  $180^\circ$  W and E






Lines of Longitude: W – E Position




# Finding One's Position on the Earth's Surface


## Latitude and Longitude: A Global Coordinate System



Lines of Longitude




Lines of Latitude




# Finding Position on the Earth's Surface

## Latitude and Longitude: Global Coordinate System

- 1) Given a specific location on map – Need to determine Latitude/Longitude coordinates
- 2) Given a specific set of Lat-Long coordinates – Need to determine the location on the map



# Universal Transverse Mercator (UTM): Another Global Coordinate System




Earth Divided into 60 6° degree Longitudinal UTM Zones


# Universal Transverse Mercator (UTM):

Another Global Coordinate System

## UTM Zones



Easting →



↑  
Northing


**Northing:** The number of meters north of the equator the location lies

**Easting:** The number of meters east from the west side of the local zone the location lies

UTM map grid is divided into 1000 meter squares. This may be printed or not printed over the map


# Universal Transverse Mercator (UTM): Another Global Coordinate System

## UTM Zones, Northing and Easting on a Topo Map



Northing  
values  
on the  
sides of  
the map

Easting values on the top  
and bottom of the map




Using a UTM Grid template  
overlay on a Topo Map

# Map Scale

- 1) All maps are drawn to a specific scale
- 2) Distances on the map are proportional to distances on the ground
- 3) For example, 1 inch distance on a map with a 1:62,500 scale will represent 62,500 inches of real ground distance, which translate to about 1 inch to 1 mile.
- 4) There are three ways to express map scale:

- Fractional scale: 1:62,500
- Verbal scale: 1 inch (map) equals 1 mile (ground)
- Bar scale:



- 5) Only bar scale stays accurate if the map shrunk or enlarged



# Map Series Examples

## USGS Topographic Maps

[7.5-minute maps](#) || [15-minute maps](#) || [1:100,000-scale series](#)

[County map series](#) || [1:250,000-scale series](#)

[State map series](#) || [National park map series](#)

[Shaded-relief maps](#) || [Topographic-bathymetric maps](#)

[Antarctic maps](#) ||


## NOAA Bathymetry Maps

[Coastal](#) || [Fishing](#) || [Global](#) || [Lakes](#) || [Multibeam](#)

[NOS surveys](#) || [Trackline](#)

# Understanding Contour Lines


1) Contours are imaginary lines that join points of equal elevation on the surface of the land above or below a reference surface, such as sea level.



2) Contours make it possible to measure the height of mountains, depths of the ocean bottom, and steepness of slopes.







# Map with Topography and Bathymetry




# How to Make a Simple Contour Map

- 1) Start with a set of locations that have been measured for a certain surface attribute:  
Ex: elevation or water depth
- 2) Set a contour interval, based on range of values mapped
- 3) Draw a contour line for each interval multiple
- 4) Each contour must be drawn between higher and lower point values or on exact values
- 5) Interpolate between the high and low value where the contour line should be positioned




[Click here for Internet example](#)

# Contouring Exercises




**FIGURE 9.15** Use interpolation and extrapolation to estimate elevations of points that are not labeled (see Figure 9.6). Then add contour lines with a 100-foot contour interval. Note how the 0-foot and 100-foot contour lines have already been drawn.



**FIGURE 9.16** Construct a topographic map by contouring these elevations. Use a contour interval of 10 feet. (Refer to Figure 9.5 as needed.)

# Contouring Exercises

Contour Interval = 20 feet



**FIGURE 9.17** Topographic map interpretation. Use your pencil to lightly shade in the portion of this map that represents the highest elevation of land. Label a hill, "H." Label a ridge, "R." Label a saddle, "S." Use an arrow to label the lowest contour line in the map and label the arrow with the elevation of the contour. (Refer to Figures 9.5–9.8 as needed.)


Contour Interval = 20 feet




**FIGURE 9.18** Topographic map interpretation. Use your pencil to lightly shade in the portion of this map that represents the lowest elevation. Label a closed depression, "CD." In the small box, write the elevation of the index contour on which it lies. (Refer to Figures 9.5–9.8 as needed.)

# Contouring

# Exercises




**FIGURE 9.19** Complete this topographic map. Use a contour interval of 10 ft and label the elevation of every contour on the map. (Hint: Start at sea level and refer to Figures 9.8 and 9.9.)



**FIGURE 9.20** Gradient is a measure of the steepness of a slope, expressed in feet per mile or meters per kilometer. To determine the gradient of a slope, divide the *relief* (difference in elevation between two points on a map) by the distance measured between the two points. This is sometimes called *rise over run*. For example, this topographic map is contoured in meters. Can you determine the contour interval? Can you determine the gradient from point X to point Y? Can you plot a path from point A to point B that does not cross any slopes with a gradient above 20 meters per kilometer? Explain your reasoning.

# Rules of Contour Line

- 1) Contour lines never cross
- 2) Widely spaced contours indicate a gradual slope
- 3) Tightly-spaced lines indicate a steep slope
- 4) “V”-shaped contour pattern indicate either a valley or ridge line



- ✓ The “V” points toward higher area = valley
  - ✓ The “V” points toward lower area = ridge
- 5) “Bull’s Eye” contour pattern indicate a peak or basin
    - ✓ Center of “bull’s eye” is highest point = peak
    - ✓ Center of “bull’s eye” is lowest point = basin

# RULES FOR CONTOUR LINES

- Every point on a contour line is of the exact same elevation; that is, contour lines connect points of equal elevation.
- Contour lines always separate points of higher elevation (uphill) from points of lower elevation (downhill). You must determine which direction on the map is higher and which is lower, relative to the contour line in question, by checking adjacent elevations.
- Contour lines always close to form an irregular circle. But sometimes part of a contour line extends beyond the mapped area so that you cannot see the entire circle formed.
- The elevation between any two adjacent contour lines of different elevation on a topographic map is the *contour interval*. Often every fifth contour line is heavier so that you can count by five times the contour interval. These heavier contour lines are known as *index contours*, because they generally have elevations printed on them.
- Contour lines never cross one another except for one rare case: where an overhanging cliff is present. In such a case, the hidden contours are dashed.
- Contour lines can merge to form a single contour line only where there is a vertical cliff.
- Evenly spaced contour lines of different elevation represent a uniform slope.

8. The closer the contour lines are to one another the steeper the slope. In other words, the steeper the slope the closer the contour lines.


9. A concentric series of closed contours represents a hill:



10. *Depression contours* have hachure marks on the downhill side and represent a closed depression:




11. Contour lines form a V pattern when crossing streams. The apex of the V always points upstream (uphill):



12. Contour lines that occur on opposite sides of a valley always occur in pairs.

13. Topographic maps published by the U.S. Geological Survey are contoured in feet or meters referenced to sea level.


# Example for Understanding Contour Rules







# Can You Point Out These Features?



- 1) Valleys
- 2) Ridges
- 3) Steep terrain
- 4) Not Steep terrain
- 5) Peak tops
- 6) Total relief of map



**Question:** Which way does the river flow? North or South?





Top of hill



Side of hill



# Contours Line Patterns and Landforms




Match the Contours Line Patterns with the Hill Shape


# Determining Map Bearing and Distance

## Understand Map Direction

- 1) Cardinal Directions
- 2) Azimuth versus Quadrant Notation
- 3) Difference between True Bearing *Versus* Magnetic Bearing



## Going From Point "A" to "B"




## Understand Map Distance

- 1) Distance from One Point to Another along a Straight Line
- 2) Converting from Map Distance to Real Ground Distance

# Determining True Bearing from One Location Point to Another

## Three Basic Steps


- 1) Locate your present position
- 2) Locate the position you want to establish a bearing to
- 3) Use a properly positioned protractor to determine the true bearing from your location to the other position
- 4) Measure the bearing as either an azimuth or a quadrant bearing



# Determining Magnetic Bearing from One Location Point to Another

## Four Basic Steps


- 1) Locate your present position
- 2) Locate the position you want to establish a bearing to
- 3) Use a properly positioned compass to determine the magnetic compass bearing from your location to the other position
- 4) Measure the bearing as either an azimuth or a quadrant bearing



# Determining Your Location Using Triangulation

## Four Basic Steps




- 1) Locate several local prominent landforms by sight, such as a peak top or
- 2) Take (shoot) a compass bearing to each landform and note value
- 3) Plot the bearing lines on your map with the bearing lines crossing through the sighted landforms
- 4) Where the bearing lines intersect is your triangulated location



# Creating Topographic Profiles

## Three Basic Steps


- 1) Copying contour map data onto paper strip
- 2) Transferring paper strip contour data onto labeled profile graph as a set of dots
- 3) Connecting the dots together as a smooth line






# Cuyamaca Peak 7 ½ Minute Topo Map

- 1) Location?
- 2) Map projection?
- 3) Map scale?
- 4) Verbal scale?
- 5) Map area?
- 6) Magnetic declination?
- 7) Contour interval?
- 8) Map relief? Total?
- 9) Latitude/Longitude?
- 10) UTM?
- 11) Drainage direction?



# Poway 7 ½ Minute Topo Map

- 1) Location?
- 2) Map projection?
- 3) Map scale?
- 4) Verbal scale?
- 5) Map area?
- 6) Magnetic declination?
- 7) Contour interval?
- 8) Map relief? Total?
- 9) Latitude/Longitude?
- 10) UTM?
- 11) Drainage direction?




# Creating a Topographic Profile

## Step 1 –

Mark and label a continuous set of elevation/depth contour points along a predetermined transverse across the map onto a strip of paper


You will then use the strip of paper with the contour information to create a cross-section profile of the map transverse on a piece of graph paper



# Creating a Topographic Profile


## Step 2 -

Transfer contour info from strip of paper onto properly labeled graph paper as a set of dots that mark elevation or depth





## Step 3 -


Connect profile elevation or depth dots with a smooth line - this is your profile




# Yosemite Valley Topography



# Yosemite Valley Topo Map



# Yosemite Valley Topographic Map



## Cross-Section Profiles

- 1) Mount Watkins to Clouds Rest
- 2) El Capitan to Cathedral Rocks

# Views of Yosemite Valley





# Views of Yosemite Valley



# Views of Yosemite Valley



# Views of Yosemite Valley



# Views of Yosemite Valley



A vertical strip on the left side of the slide shows a topographic map of a coastline. It features contour lines, a yellow vertical line, and a red horizontal line. The background of the slide is a dark teal color with faint, light blue contour lines.

# Head's-Up for Next Week's Lab

## Structure and Earthquakes

### Next Week's Lab Activities

- 1) Strike and Dip
- 2) Folds and Faults
- 3) Measure Epicenter and Magnitude
- 4) Ground Motion Experiment
- 5) Measure Fault Displacement

### Preparation

#### Recommended Pre-Lab Web Activities (Click on Link)

- 1) [Learn About Earthquakes - USGS Site](#)
- 2) [Virtual Earthquake!](#)
- 3) [World ocean bottom features and Tectonic plate boundaries](#)

A vertical strip on the left side of the slide shows a portion of a topographic map with contour lines, a river, and a road.

# Head's-Up for Next Week's Lab

## **Topographic Maps II**

### **Next Week's Lab Activities**

- 1) Yosemite Valley Topo Map
- 2) Location, Distance and Bearing
- 3) Triangulating for Location
- 4) Create Topographic Profile